

SECO-LARM

Commercial/Residential Security Systems and Accessories

Address: 16842 Millikan Avenue, Irvine, California 92606

Telephone: (800) 662-0800, (949) 261-2999

Fax: (949) 261-7326

E-mail: sales@seco-larm.com

Internet: www.seco-larm.com

Effective Date: January 1st, 2020

Note: Minimum order quantities apply to some products.

Models are priced individually, even when sold in multiples.

Models which end in 'Q' are RoHS-compliant.

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
AS-1511	CBA Auto Voice Reminder, plays pre-recorded custom message up to 15 seconds, adjustable volume (Low,High,Off), sensor detection angle & range of 100°@30ft (9m), easy installation/no hard wiring needed, battery operated (3x AAA batteries, not included).	\$9.95	\$15.40	1	36
AS-6111Q	Motion Entry Alert, provides approximately 4 seconds of audible alert (doorbell sound) when triggered, sensor range 10ft (3m), battery operated (3 AAA batteries, not included).	\$5.95	\$9.20	1	40
AS-7021	Stand-Alone Parking Alert, Ultrasonic sensor allows precise parking in a garage or parking lot, adjustable sensing distance, simple traffic light colors indicate distance, battery operated with low-battery indicator	\$14.95	\$23.00	1	64
BD-T100Q	Dummy Dual Photoelectric Beam Sensor with flashing red LEDs.	\$9.95	\$15.40	1	20
CA-121T	Female BNC to terminal block. Sold in multiples of 10 (price is for 1 pc).	\$0.60	\$1.00	10	100
CA-1510-3FLQ	Illuminated Power Connector. Female DC jack with 3ft wire leads. Sold in multiples of 10 (price is for 1 pc).	\$1.70	\$2.70	10	100
CA-1515Q	Female DC Jack to female DC jack adapter. Sold in multiples of 10 (price is for 1 pc).	\$0.85	\$1.40	10	100
CA-151P	2.1mm DC Jack to screwless terminal block. Sold in multiples of 10 (price is for 1 pc).	\$0.65	\$1.00	10	100
CA-151T	Power Connector. Female DC jack with terminal block. Sold in multiples of 10 (price is for 1 pc).	\$0.41	\$0.70	10	100
CA-1526-1F	Single female DC jack to double male DC plug with 1ft wire. Sold in multiples of 10 (price is for 1 pc).	\$1.50	\$2.40	10	100
CA-1610-3FLQ	Illuminated Power Connector. Male DC plug with 3ft wire leads. Sold in multiples of 10 (price is for 1 pc).	\$1.60	\$2.50	10	100
CA-1616Q	DC Plug-to-plug Adapter. Male DC plug to male DC plug adapter. Sold in multiples of 10 (price is for 1 pc).	\$0.80	\$1.30	10	100
CA-161P	2.1mm DC Plug to screwless terminal block. Sold in multiples of 10 (price is for 1 pc).	\$0.60	\$1.00	10	100
CA-161T	Power connector. Male DC plug with terminal block. Sold in multiples of 10 (price is for 1 pc). Minimum order quantity of 50pcs.	\$0.39	\$0.60	50	100
CL-210M-U3BQ	Motorized Cabinet Lock, 12~28VAC/VDC operation, lock status, door status.	\$29.50	\$45.40	1	50
CS-PD115-PAQ	Photoelectric proximity sensor. Diffused type, plastic cylindrical threaded case 15cm max. sensing range, pigtail	\$21.00	\$32.40	1	100
DC-ACC-CS1Q	Cigarette lighter adapter socket for use with the DC-200GQ. Install accessories directly to the fuse box.	\$9.95	\$15.40	1	1
DE-S101Q	USB Over Cat5e/6. Extend keyboard, mouse, camera (any USB device) over Cat5e/6. USB 1.1 compliant. Transmits up to 150ft (50m).	\$21.50	\$33.10	1	40
DG-311M	Safety door latch, patented anti-pick swing latch design, easy to install and use	Available Spring 2020			
DH-100E-05SQ	1/2" Door Holder Extension Bar for DH-151, DH-171	\$2.00	\$3.10	1	N/A
DH-100E-07SQ	3/4" Door Holder Extension Bar for DH-151, DH-171	\$2.00	\$3.10	1	N/A
DH-100E-10SQ	1" Door Holder Extension Bar for DH-151, DH-171	\$2.00	\$3.10	1	N/A
DH-100E-20SQ	2" Door Holder Extension Bar for DH-151, DH-171	\$4.00	\$6.20	1	N/A
DH-100E-30SQ	3" Door Holder Extension Bar for DH-151, DH-171	\$4.00	\$6.20	1	N/A
DH-100E-40SQ	4" Door Holder Extension Bar for DH-151, DH-171	\$4.00	\$6.20	1	N/A
DH-100E-50SQ	5" Door Holder Extension Bar for DH-151, DH-171	\$5.00	\$7.70	1	N/A
DH-100E-70SQ	7" Door Holder Extension Bar for DH-151, DH-171	\$5.00	\$7.70	1	N/A
DH-151SQ	Magnetic Door Holder, Surface-mount with backbox, UL listed, adjustable armature plate, fail-safe operation, holding force 33-lbs (15kg), three voltages: 12VAC/VDC, 24VAC/VDC, 120VAC, extension bars available: 1/2", 3/4", 1", 2"... cast aluminum faceplate, built-in voltage spike suppressor.	\$35.50	\$54.70	1	20
DH-171SQ	Magnetic Door Holder, Flush-mount, UL listed, adjustable armature plate, fail-safe operation, holding force 33-lbs (15kg), three voltages: 12VAC/VDC, 24VAC/VDC, 120VAC, extension bars available: 1/2", 3/4", 1", 2"... cast aluminum faceplate, built-in voltage spike suppressor.	\$32.50	\$50.00	1	20
DP-222-MQ	Additional Color Video Door Phone Monitor with handset. Door-release button to open door. Separate controls for volume, brightness and contrast.	\$71.00	\$109.30	1	4

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
DP-222Q	Color Video Door Phone. Includes color CCD camera (420TVL) and monitor with 4-inch TFT display and handset. LEDs for Day/Night use, 2-wire system. Can connect one additional monitor, relay output. Includes power adapter.	\$109.00	\$167.70	1	4
DP-234-CQ	Replacement Camera for DP-234Q. 700 TV Lines.	\$67.00	\$103.10	1	1
DP-234-MQ	Additional Monitor with 6.75-inch TFT display for DP-234Q or DP-222Q. Hands-free.	\$117.00	\$180.00	1	4
DP-234Q	Hands-Free Color Video Door Phone. Includes color CCD camera with 700 TV lines, 4.5mm lens and Enhanced Effio-E DSP, and monitor with 6.75-inch TFT display. Four LEDs for Day/Night use. Simple 2-wire connection. Optional secondary monitor available (DP-222-MQ with handset, or hands-free DP-234-MQ).	\$163.00	\$250.80	1	4
DP-266-1C3Q	Wireless Color Video Door Phone. Range: Up to 492ft (150m), 9~16 VAC/VDC operating voltage. Adjustable viewing angle. Handheld monitor is portable. Unlock doors or gates via the monitor. Camera has built in PIR sensor for taking photos. Can have up to 2 cameras and 3 monitors.	\$179.00	\$275.40	1	10
DP-266-BC	Replacement battery for the DP-266-CQ	\$9.00	\$13.90	1	1
DP-266-BM3	Replacement battery for the DP-266-M3Q	\$8.00	\$12.40	1	1
DP-266-CQ	Additional Color Video Door Phone Camera for DP-266-1C3Q. 2mm lens and 480 TV Line resolution.	\$75.00	\$115.40	1	10
DP-266-M3Q	Additional 3" Wireless Color Video Door Phone Monitor for DP-266-1C3Q	\$105.00	\$161.60	1	10
DP-266-SQ	Replacement monitor charging stand for the DP-266-1C3Q	\$15.00	\$23.10	1	1
DP-T100-1Q	Additional intercom for the DP-T100-2Q.	\$39.00	\$60.00	1	20
DP-T100-2Q	Wireless Intercom Kit - Two Intercoms. 902~928 MHz (Frequency Hopping). Range up to 1,000ft (300m). Connect up to 16 intercoms together for a fast, simple, and secure communication system. Four selectable channels, as well as a broadcast-to-all-channel mode. Powered by 4 AA batteries or power adapter	\$75.00	\$115.40	1	20
DRH-104Q	4-Channel 5-in-1 HD Hybrid DVR (HD+IP), Up to 1920x1080 video recording	Available Spring 2020			
DRH-108Q	8-Channel 5-in-1 HD Hybrid DVR (HD+IP), Up to 1920x1080 video recording	Available Spring 2020			
DRH-116Q	16-Channel 5-in-1 HD Hybrid DVR (HD+IP), Up to 1920x1080 video recording	Available Spring 2020			
DRN-104Q	4-Channel IP NVR, Up to 3840x2160 video recording	Available Spring 2020			
DRN-108Q	8-Channel IP NVR, Up to 3840x2160 video recording	Available Spring 2020			
DRN-116Q	16-Channel IP NVR, Up to 3840x2160 video recording	Available Spring 2020			
E-37ANT	Optional external antenna for use with E-37EV when no existing AM or CB antenna is available.	\$9.95	\$15.40	1	100
E-37EV	3-Zone alarm pager system. Includes E-37RV vibrating receiver. (Not compatible with E-35EV or E-35RV.)	\$71.00	\$109.30	1	20
E-37RV	Spare receiver for use with E-37EV with built-in audible or vibrating function for silent paging. (Not compatible with E-35EV or E-35RV.)	\$45.00	\$69.30	1	20
E-921APQ	Basic Auto Dialer, listen-in with built-in siren, 2 N.C. triggers, automatically calls up to 5 phone/cellphone/pager numbers (maximum 32 digits per number), beeping alert, backup battery capability	\$39.00	\$60.00	1	20
E-921CPQ	Advanced Voice Dialer, listen-in and broadcast features with built-in siren, 3 triggers (2 NO/NC and 1 N.C.), automatically calls up to 5 phone/cellphone/pager numbers (maximum 32 digits per number), 20 second voice message and beeping alert, backup battery capability.	\$71.00	\$109.30	1	10
E-931ACC-BLS6Q	Single-gang flush-mount bracket for the E-931-S35RRQ and the E-931-S45RRQ.	\$5.75	\$8.90	1	N/A
E-931ACC-BLS7Q	"L" bracket for mounting the E-931-S35RRQ and the E-931-S45RRQ.	\$3.70	\$5.70	1	N/A
E-931ACC-BLS8Q	Wall/door frame bracket for the E-931CS22RRCQ, E-931CS22RRQ, E-931-S35RRQ and E-931-S45RRQ.	\$2.60	\$4.00	1	N/A
E-931ACC-CQ	Counter for E-931CS22RRQ (tracks how often triggered).	\$20.00	\$30.80	1	20
E-931ACC-HR1Q	Hood/cover for E-931ACC-RQ and E-931ACC-RC1Q.	\$4.50	\$7.00	1	20
E-931ACC-R2Q	Replacement Reflector (2" square) for E-931-S33PRQ, E-931-S35RRQ, E-931-S45RRQ, and E-931CS22RRQ.	\$3.50	\$5.40	1	100
E-931ACC-RC1Q	Round Reflector (3" diameter) for E-931-S33PRQ, E-931-S35RRQ, E-931-S45RRQ, and E-931CS22RRQ.	\$5.40	\$8.40	1	100
E-931ACC-RLQ	Large Reflector for Reflective Beam Sensors	\$35.00	\$53.90	1	1
E-931ACC-SFQ	Optional Wireless Speaker with Power Adapter for E-931CS22RRCQ.	\$42.00	\$64.70	1	50
E-931ACC-SPQ	Optional Solar Panel and Battery for E-931CS22RRCQ.	\$55.00	\$84.70	1	N/A
E-931ACC-SQ	Additional Siren/chime for E-931CS22RRQ.	\$12.00	\$18.50	1	50
E-931CS22RRCQ	Wireless Entry Alert System, 433MHz, Wireless Speaker and Sensor	\$65.00	\$100.00	1	20
E-931CS22RRQ	Entry Alert System. Reflective beam sensor with chime for door entry indication. "Ding-dong" or siren sounds. Range: Up to 22ft.	\$36.00	\$55.40	1	20
E-931-S33PRGQ	Polarized Reflective Photobeam Sensor, range: up to 33ft (10m), polarized sensor is immune to shiny objects: triggers only when correctly reflected light is detected, 12-30VDC/VAC 60Hz 100mA, Monitored output: N.C./10kΩ Resistor, Form C relay: 500mA@30VAC/VDC, dual-color LED for beam alignment, N.C. tamper circuit, weatherproof for indoor/outdoor use (IP55), Light-On Operation. ETL UL325-2018 Compliant on August 1st.	\$51.00	\$78.50	1	50
E-931-S35RRQ	35ft Reflective Photoelectric Beam Sensor. Range: Up to 35ft. 12~240 VDC or 24~240 VAC. 1A Relay output, NO/NC/COM.	\$39.00	\$60.00	1	40
E-931-S45RRQ	45ft Reflective Photoelectric Beam Sensor. Range: Up to 45ft. 12~250 VAC/VDC. 3A Relay output, NO/NC/COM. Adjustable response time. Includes round reflector, mounting brackets and hardware, and reflector hood.	\$45.00	\$69.30	1	50

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
E-931-S50RRGQ	Reflective Photobeam Sensor, range: up to 50ft (15m), 12-30VDC/VAC 60Hz 100mA, Monitored output: N.C./10kΩ Resistor, Form C relay: 500mA@30VAC/VDC, dual-color LED for beam alignment, for outdoor gates/ garage doors/ etc, N.C. tamper circuit, weatherproof for indoor/outdoor use (IP55), Light-On Operation. ETL UL325-2018 Compliant on August 1st.	\$53.00	\$81.60	1	50
E-931-S50RRLQ	50ft Large Reflective Sensor. Range: Up to 50 ft. 12~250 VAC/VDC. Larger sensor and reflector for more convenient alignment and adjustment. Wall or pole-mountable. Includes hood for sensor and reflector.	\$99.00	\$152.40	1	10
E-932-D33TBQ	33ft Photoelectric Through-beam Sensor. Range: Up to 33ft. Flush-mount in wall. Fits single-gang box. Twin beams.	\$39.00	\$60.00	1	20
E-936-S35RRGQ	Reflective Photobeam Sensor, range: up to 35ft (10m), 12-30VDC/VAC 60Hz 100mA, monitored output: N.C./10kΩ resistor, dual-color LED alignment, pre-wired 6ft (1.8m) cord, weatherproof for indoor and outdoor use (IP66), light-on operation). ETL UL325-2018 Compliant on August 1st.	\$40.00	\$61.60	1	40
E-936-S45RRGQ	Reflective Photobeam Sensor, range: up to 45ft (14m), 12-30VDC/VAC 60Hz 100mA, monitored output: N.C./10kΩ Resistor, adjustable sensor range, includes 3" round reflector & hood, Form C relay: NO/NC/COM 2A@30VAC/VDC, dual-color LED alignment, pre-wired 6ft (1.8m) cord, weatherproof for indoor and outdoor use (IP66), light-on operation) ETL UL325-2018 Compliant on August 1st.	\$48.00	\$73.90	1	30
E-941D-1K2/P	¼" Plate Spacer for 1,200-lb double-door maglocks.	\$15.00	\$23.10	1	50
E-941D-600/PQ	¾" Plate Spacer for 600-lb double-door maglocks.	\$14.00	\$21.60	1	100
E-941DA-1K2P	Double-door Electromagnetic lock with 1,200-lb (545kg) holding force per door. 12 or 24 VDC operation. Bond Sensor. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc).	\$166.00	\$255.40	2	2
E-941DA-1K2Q	Double-door electromagnetic lock with 1,200-lb (545kg) holding force per door. 12 or 24 VDC operation. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc).	\$141.00	\$217.00	2	2
E-941DA-600PQ	Double-door Electromagnetic Lock with 600-lb (272kg) holding force per door. 12 or 24 VDC operation. Bond Sensor. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc).	\$127.00	\$195.40	2	2
E-941DA-600Q	Double-door Electromagnetic Lock with 600-lb (272kg) holding force per door. 12 or 24 VDC operation. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc).	\$116.00	\$178.50	2	5
E-941E-1K2/LQ	Optional "L" Bracket for use with E-941EC2-N1Q.	\$8.00	\$12.40	1	N/A
E-941EC2-N1Q	Vandal-resistant camera, 1.5mm lens, 600 TV lines. Use as stand-alone camera or integrate with E-941SA-1200, E-941SA-1K2PQ, or E-941SA-1K2PD. Optional L bracket available (model E-941E-1K2/LQ).	\$119.00	\$183.10	1	N/A
E-941S-1K2/AP	Armature Plate for E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q, E-941DA-1K2P, E-942FC-1300, and E-946FC-1K2Q.	\$16.00	\$24.70	1	N/A
E-941S-1K2/F43Q	1/2" Filler Plate for indoor 600-lb and 1,200-lb maglocks	\$9.00	\$13.90	1	100
E-941S-1K2/F53Q	5/8" Filler Plate for indoor 600lb and 1,200lb maglocks	\$11.00	\$17.00	1	100
E-941S-1K2/HP	Header Plate for E-941SA-1200, E-941SA-1K2PQ and E-941SA-1K2PD.	\$8.00	\$12.40	1	N/A
E-941S-1K2/HQ	Armature Plate Holder for E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q and E-941DA-1K2P.	\$15.50	\$23.90	1	10
E-941S-1K2/LQ	"L" Bracket for mounting E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q and E-941DA-1K2P.	\$14.50	\$22.40	1	50
E-941S-1K2/PQ	¼" Plate Spacer for E-941SA-1200, E-941SA-1K2PQ and E-941SA-1K2PD. Sold in multiples of 10 (price is for 1 pc).	\$8.50	\$13.10	10	100
E-941S-1K2/UQ	"U" Bracket for glass (9~13 mm) doors. For use with E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q and E-941DA-1K2P.	\$35.00	\$53.90	1	10
E-941S-1K2/ZQ	"Z" Bracket for mounting E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q and E-941DA-1K2P. For left or right in-swinging doors. Includes "L" and "Z" brackets.	\$41.00	\$63.10	1	10
E-941S-1K5/LQ	"L" Bracket for mounting E-941SA-1K5Q.	\$15.50	\$23.90	1	20
E-941S-1K5/PQ	Plate Spacer for E-941SA-1K5Q	\$10.00	\$15.40	1	30
E-941S-1K5/ZQ	"Z" Bracket for mounting E-941SA-1K5Q. For left or right in-swinging doors.	\$37.00	\$57.00	1	4
E-941S-300/AP	Armature plate for E-941SA-300 and E-941SA-300RQ.	\$12.00	\$18.50	1	N/A
E-941S-300R/HPQ	Header Plate and Plate Spacer for E-941SA-300RQ Maglock (threads must be bored to become Plate Spacer).	\$6.00	\$9.30	1	1
E-941S300R/LQ	"L" Bracket for mounting E-941SA-300RQ. (Not compatible with E-941SA-300.)	\$10.50	\$16.20	1	10
E-941S300R/UQ	"U" Bracket for glass (9~13 mm) doors, for use with E-941SA-300RQ. Includes "L", "Z" and "U" brackets. (Not compatible with E-941SA-300.)	\$50.00	\$77.00	1	10
E-941S300R/ZQ	"Z" Bracket for mounting E-941SA-300RQ. Includes "L" and "Z" brackets. ("Z" Bracket is also compatible with E-941SA-300, but the "L" bracket is not.)	\$30.00	\$46.20	1	10
E-941S-600/AP	Armature Plate for E-941SA-600, E-941SA-600Q, E-941DA-600Q and E-941DA-600PQ.	\$16.00	\$24.70	1	N/A
E-941S-600/HP	Header Plate for E-941SA-600 and E-941SA-600PQ.	\$7.00	\$10.80	1	N/A
E-941S-600/HQ	Armature Plate Holder for E-941SA-600, E-941SA-600PQ, E-941DA-600Q and E-941DA-600PQ.	\$13.50	\$20.80	1	25
E-941S-600/LQ	"L" Bracket for mounting E-941SA-600, E-941SA-600PQ, E-941DA-600Q and E-941DA-600PQ.	\$11.50	\$17.70	1	50
E-941S-600/PQ	¾" Plate Spacer for E-941SA-600 and E-941SA-600PQ. Sold in multiples of 10 (price is for 1 pc).	\$7.25	\$11.20	10	100
E-941S-600/UQ	"U" Bracket for glass (9~13 mm) doors, for use with E-941SA-600, E-941SA-600PQ, E-941DA-600Q and E-941DA-600PQ.	\$23.00	\$35.40	1	25
E-941S-600/ZQ	"Z" Bracket for mounting E-941SA-600, E-941SA-600PQ, E-941DA-600Q and E-941DA-600PQ. For left or right in-swinging doors. Includes "L" and "Z" brackets.	\$33.50	\$51.60	1	10

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
E-941SA-1200	Single-door Electromagnetic Lock with 1,200-lb (545kg) holding force. 12 or 24 VDC operation. UL, CUL listed.	\$71.00	\$109.30	1	5
E-941SA-1K2PD	Single-door Electromagnetic Lock with 1,200-lb (545kg) holding force. Two-colored LED, status sensor relay output, delay timer (1~78 sec).	\$95.75	\$147.40	1	5
E-941SA-1K2PQ	Single-door Electromagnetic Lock with 1,200-lb (545kg) holding force. 12 or 24 VDC operation. Bond Sensor. UL, CUL listed.	\$85.00	\$130.80	1	5
E-941SA-1K5Q	Single-door Electromagnetic Lock with 1,500-lb (680kg) holding force. 12 or 24 VDC operation.	\$86.00	\$132.40	1	4
E-941SA-300	Electromagnetic Lock with 300-lb (136kg) holding force. 12VDC Operation. Indoor & outdoor use.	\$56.00	\$86.20	1	10
E-941SA-300RQ	Electromagnetic Lock with 300-lb (136kg) holding force. 12 or 24 VDC operation. For indoor use only.	\$51.00	\$78.50	1	10
E-941SA-600	Single-door Electromagnetic Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. UL, CUL listed.	\$57.00	\$87.70	1	10
E-941SA-600PQ	Single-door Electromagnetic Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. Bond Sensor. UL, CUL listed.	\$67.00	\$103.10	1	10
E-941SA-80Q	Miniature Electromagnetic Lock. 80-lb (36kg) holding force, 12 or 24 VDC.	\$28.00	\$43.10	1	50
E-942F-1300/L	"L" Bracket for mounting E-942FC-1300 (2 pcs included). One bracket for armature plate, one bracket for magnet. For use with sliding gates.	\$38.00	\$58.50	1	10
E-942F-1300/ZQ	"Z" Bracket for mounting E-942FC-1300 and E-946-FC-1K2Q. Mounts to armature plate. For use with swinging gates.	\$35.00	\$53.90	1	10
E-942F-600/AP	Armature Plate for E-942FC-600, E-946FC-600Q, and E-942FC-600SQ.	\$14.00	\$21.60	1	N/A
E-942F-600/L	"L" Bracket for mounting E-942FC-600 (2 pcs included). One bracket for the armature plate, one bracket for maglock. For use with sliding gates.	\$34.00	\$52.40	1	10
E-942F-600/Z	"Z" Bracket for mounting E-942FC-600 and E-946FC-600. Mounts to armature plate. For use with swinging gates.	\$34.00	\$52.40	1	10
E-942FC-1300	Electromagnetic Gate Lock with 1,200-lb (544kg) holding force. 12 or 24 VDC operation. Indoor & outdoor use. UL, CUL listed. Face mount.	\$102.50	\$157.70	1	5
E-942FC-1K3SQ	Electromagnetic Gate Lock with 1,200-lb (544kg) holding force. 12 or 24 VDC operation with weldable brackets for armature plate and magnet. Indoor & outdoor use. UL, CUL listed (gate lock portion only). Weld or bolt brackets directly to gate. Sold in multiples of 2 (price is for 1 pc).	\$159.00	\$244.70	2	2
E-942FC-600	Electromagnetic Gate Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. Indoor and outdoor use. UL, CUL listed. Face mount.	\$92.50	\$142.40	1	5
E-942FC-600SQ	Electromagnetic Gate Lock with 600-lb (272kg) holding force with weldable brackets for armature plate and magnet. 12 or 24 VDC operation. Indoor and outdoor use. UL, CUL listed (gate lock portion only). Weld or bolt brackets directly to gate. Sold in multiples of 2 (price is for 1 pc).	\$139.00	\$213.90	2	2
E-946F-1K2/LQ	"L" Bracket for mounting E-946FC-1K2Q (1 pc. Included). Use for mounting to armature plate or magnet as necessary. For use with sliding gates.	\$36.00	\$55.40	1	5
E-946FC-1K2Q	Electromagnetic Gate Lock with 1,200-lb (544kg) holding force. 12 or 24 VDC operation. Indoor & outdoor use. UL, CUL listed. Face or surface mount.	\$102.50	\$157.70	1	5
E-946FC-1K2SQ	Electromagnetic Gate Lock with 1,200-lb (544kg) holding force. Face/ Surface mount. 12 or 24 VDC operation with weldable brackets for armature plate and magnet. Indoor & outdoor use. UL, CUL listed (gate lock portion only). Weld or bolt brackets directly to gate.	\$167.00	\$257.00	1	2
E-946FC-600Q	Electromagnetic Gate Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. Indoor and outdoor use. UL, CUL listed. Face or surface mount.	\$92.50	\$142.40	1	5
E-960-D190Q	Twin Photobeam Detector for interior or exterior use. Range: up to 190ft (60 meters) outdoor and 390ft (120 meters) indoor. Weatherproof, sunlight-filtering enclosure. Laser beam alignment system. 10~30 VAC/VDC.	\$66.00	\$101.60	1	10
E-960-D290Q	Twin Photobeam Detector for interior or exterior use. Range: up to 290ft (90 meters) outdoor and 590ft (180 meters) indoor. Weatherproof, sunlight-filtering enclosure. Laser beam alignment system. 10~30 VAC/VDC.	\$85.00	\$130.80	1	10
E-960-D90GQ	Similar to E-960-D90Q but ETL listed (UL325-2016) 12-30VAC/VDC, response time less than 10mS. ETL UL325-2018 Compliant on August 1st.	\$60.50	\$93.10	1	10
E-960-D90Q	Twin Photobeam Detector for interior or exterior use. Range: Up to 90ft (30 meters) outdoor and 190ft (60 meters) indoor. Weatherproof, sunlight-filtering enclosure. Laser beam alignment system. 10~30 VAC/VDC.	\$56.00	\$86.20	1	10
E-9622-4B25	Curtain Sensor. Length: 22½", with four photoelectric beams. Range: Up to 25ft outdoor and 50ft indoor. NO/NC relay output, anti-tamper circuit, and LED alignment indicator. Black enclosure.	\$59.00	\$90.80	1	20
E-9643-4B190Q	Long-Range Barrier Sensor. Four pairs of beams, black enclosure. Range: Up to 190ft (60m) outdoor, NO or NC alarm output, adjustable interruption time, 1 Amp relay output, four frequencies.	\$345.00	\$530.80	1	5
E-9644-6B25	Curtain Sensor. Length: 44½", with six photoelectric beams. Range: Up to 25ft outdoor and 50ft indoor. NO/NC relay output, anti-tamper circuit, and LED alignment indicator. Black enclosure.	\$74.00	\$113.90	1	10
E-964-D390Q	Twin Photobeam Detector for interior or exterior use. Range: up to 390ft (120 meters) outdoor and 790ft (240 meters) indoor. Weatherproof, sunlight-filtering enclosure. Laser beam alignment system. 4 Programmable frequencies. 10~30 VAC/VDC.	\$119.00	\$183.10	1	10
E-964-Q330Q	Quad-Photobeam Detector for indoor or outdoor use. Range: Up to 330ft (100m) outdoor and 660ft (200m) indoors. Multi-frequency, laser alignment, built-in heater, IP66 weatherproof, environmental output, 12~24 VAC/VDC.	\$209.00	\$321.60	1	5

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
E-964-Q660Q	Quad-Photobeam Detector for indoor or outdoor use. Range: Up to 660ft (200m) outdoors and 1,320ft (400m) indoors. Multi-frequency, laser beam alignment, built-in heater, IP66 weatherproof, environmental output, 12~24 VAC/VDC.	\$239.00	\$367.70	1	5
E-964-S50TB	Miniature Single Photobeam, range: up to 50ft (15m), 10~24VDC operation, built-in AGC control to filter out lighting disturbances, LED indicators for power/signal strength and alarm, weatherproof for indoor and outdoor use (IP65), 4 selectable frequencies to reduce interference.	\$16.50	\$25.40	1	81
E-9660-8B25	Curtain Sensor. Length: 60 ³ / ₈ " , with 8 photoelectric beams. Range: Up to 25ft outdoor and 50ft indoor. NO/NC relay output, anti-tamper circuit, and LED alignment indicator. Black enclosure.	\$104.00	\$160.00	1	10
E-9679-8B190Q	Long-Range Barrier Sensor. Eight pairs of beams, black enclosure. Range: Up to 190ft (60m) outdoor, NO or NC alarm output, adjustable interruption time, 1 Amp relay output, four frequencies.	\$550.00	\$846.20	1	5
E-9680-10B25	Curtain Sensor. Length: 79" , with 10 photoelectric beams. Range: Up to 25ft outdoor and 50ft indoor. NO/NC relay output, anti-tamper circuit, and LED alignment indicator. Black enclosure.	\$135.00	\$207.70	1	10
EAP-3D1MQ	Access Control Power Supply Module (3A)	Available Spring 2020			
EAP-3D1Q	Access Control Power Supply in enclosure. 12 or 24 VDC output voltage. 1 Output, 3A@12VDC (3A@24VDC). Heavy-duty steel case.	\$89.00	\$137.00	1	2
EAP-3D5Q	Access Control Power Supply in enclosure. 12 or 24 VDC output voltage. 5 Outputs, 3A@12VDC (3A@24VDC). Heavy-duty steel case.	\$106.00	\$163.10	1	2
EAP-5D1MQ	Access Control Power Supply. AC power failure supervision relay. Battery failure supervision relay. Over-current fuse-protected AC input. Dimensions: 7"x4 ¹ / ₂ " "x1 ¹ / ₂ " " (180x120x45 mm).	\$50.00	\$77.00	1	10
EAP-5D1Q	Access Control Power Supply. 12 or 24 VDC output voltage. 1 Output, 5A@12VDC (2.5A@24VDC). Heavy-duty steel case. Sold in multiples of 2 (price is for 1 pc).	\$109.00	\$167.70	2	2
EAP-5D5Q	Access Control Power Supply. 12 or 24 VDC output voltage. 5 Outputs, 5A@12VDC (2.5A@24VDC). Heavy-duty steel case. Sold in multiples of 2 (price is for 1 pc).	\$129.00	\$198.50	2	2
EAP-7D1MQ	Access Control Power Supply Module (7A)	Available Spring 2020			
EAP-7D1Q	Access Control Power Supply with power distribution module and power failure supervision. 12 or 24 VDC output voltage. 1 Output, 7A@12VDC (3.5A@24VDC). Heavy-duty steel case.	Available Spring 2020			
EB-C304-01EQ	4-Channel, end-point 24VAC. For use with VPD baluns such as EB P101-20VQ. Transmits power and data to the camera while receiving video from the camera. All-in-one solution: Built-in power supply (1 Amp/channel) to power CCTV cameras	\$75.50	\$116.20	1	N/A
EB-P101-01HQ	Standard Balun, Range over 1080p: HD-TVI – 623ft (190m) HD-CVI – 720ft (220m) HD-AHD – 720ft (220m), 3-in-1 HD-AHD/TVI/CVI, real –time transmission over UTP Cat5e/6, PAL/NTSC/SECAM compatible, anti-static and wave filter, lightning protection – Grade III, 60dB crosstalk & noise immunity, exceptional interference rejection, operating temperature: -4~158F (-20~70C). Sold in multiples of 10 pairs (price is for 1 pair).	\$4.75	\$7.40	10	200
EB-P101-20HQ	Balun with 6" Pigtail, Range over 1080p: HD-TVI – 623ft (190m) HD-CVI – 720ft (220m) HD-AHD – 720ft (220m), 3-in-1 HD-AHD/TVI/CVI, real –time transmission over UTP Cat5e/6, PAL/NTSC/SECAM compatible, anti-static and wave filter, lightning protection – Grade III, 60dB crosstalk & noise immunity, exceptional interference rejection, operating temperature: -4~158F (-20~70C). Sold in multiples of 10 pairs (price is for 1 pair).	\$4.95	\$7.70	10	100
EB-P101-20PHQ	4-in-1 HD Passive Power Video Balun, transmits video and power over Cat5e/6, pigtails for flexible installation. Sold in pairs (price is for 1 pair).	\$8.95	\$13.80	1	100
EB-P101-25WQ	Passive Video Balun. Weatherproof for outdoor use, 6" pigtail connector, transmits up to 2,000ft (610m) black and white, 1,300ft (400m) color.	\$2.50	\$3.90	1	N/A
EB-P304-01MQ	4-Channel, mid-point. For use with VPD baluns such as EB P101-20VQ. Transmits power and data to the camera while receiving video from the camera. Placed at midpoint between cameras and DVR.	\$21.95	\$33.80	1	N/A
EB-P316-60MQ	16-Channel, mid-point, rack mount. For use with VPD baluns such as EB P101-20VQ. Transmits power and data to the camera while receiving video from the camera. Placed at midpoint between cameras and DVR.	\$61.00	\$93.90	1	N/A
EB-P501-02HQ	4-in-1 HD Passive Video Balun with pass-through, patented ergonomic design, includes built-in terminals for power or data pass-through. Sold in multiples of 10pcs (price is for 1 pc).	\$6.00	\$9.30	10	800
EB-T101-01HQ	4-in-1 HD Active Video Balun Transmitter, active operation, terminal blocks for easy installation, patented interlocking design for clean and professional installs	Available Spring 2020			
ENFORCER 190	Glass-Break Detector, Audio. Compact, with built-in tamper switch, red trigger LED, and patented yellow "turbulence" LED for easy sensitivity setting. Protects within a 25ft radius.	\$20.00	\$30.80	1	50
ENFORCER 295	Alarm Control Panel, 5 zone shunting switches correspond to 5 separate zone inputs (super-high-transient protected), 3 adjustable timers, 9 status LEDs (all visible when cabinet is closed), 2 alert signals for entry and exit delay, multi-remote arm/disarm with report output, tamper and dry relay contact panic output (C-N.O.), positive voltage (3 Amp) relay alarm output, regulated power supply and recharger, heavy-duty beige colored steel cabinet, 2 tamper switches included.	Special Order Item Only. Contact SECO-LARM for details.			
EV-6600-N2BQ	Surveillance-Mirror Camera. 2.8mm Lens, 600 TVL, On-Screen Display (OSD). Camera is mounted behind a 12" one-way observational mirror.	\$79.00	\$121.60	1	2
EVA-CB0R1Q	BNC-to-RCA Connector, gold-plated.	\$0.70	\$1.10	1	1000
EVA-F5521-3Q	Pigtail Connector, female DC plug with 3ft wire leads. Connects 12VDC CCTV devices such as dome or bullet cameras to CCTV power supplies. Sold in multiples of 10 (price is for 1 pc). Minimum order quantity of 50pcs.	\$0.51	\$0.80	50	1000

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
EVA-M5521-3Q	Pigtail Connector, male DC jack with 3ft wire leads. Sold in multiples of 10 (price is for 1 pc). Sold in multiples of 10 (price is for 1 pc).	\$0.57	\$0.90	10	1000
EV-DDSGQ	Conduit drop bracket. Allows for drop-down ceiling mounting of CCTV Camera (EV-Y2201-A2WQ & EV-Y2201-A2GQ). Fits 1/2" or 3/4" conduit with standard threading. Available in gray.	\$5.25	\$8.10	1	60
EV-DSLQ	Conduit box for EV-Y2201-AMGQ, Gray.	\$5.95	\$9.20	1	100
EV-DSLWQ	Conduit box for EV-Y2201-AMWQ, White.	\$5.95	\$9.20	1	100
EV-DSSGQ	Conduit box for EV-Y2201-A2GQ, Gray.	\$5.50	\$8.50	1	100
EV-DSSWQ	Conduit box for EV-Y2201-A2WQ, White.	\$5.50	\$8.50	1	100
EV-N4206-2S4Q	IP Corner Mount Camera, 1/2.9" Sony 2.43 megapixel CMOS, 1080p resolution, H.264/MJPEG, Dual Stream. ONVIF Profile S, 12VDC, PoE	\$249.00	\$383.10	1	12
EVP-124M6P16Q	12VDC/24VAC CCTV Power Supply. 16 Outputs (eight are 12VDC, eight are 24VAC), 6 Amps, PTC fuses. Individual status LEDs for each output. Extra-large enclosure.	\$75.00	\$115.40	1	2
EVP-1SA4P9UL	24VAC CCTV Power Supply, 9 outputs, 4 Amps, PTC fuses. Individual status LEDs for each output. Includes enclosure & transformer. UL listed.	\$35.00	\$53.90	1	4
EVT-AB1Q	Active Video Balun Set. Includes one transmitter (EVT-TB1-42T) and one receiver (EVT-RB1-4T2).	\$69.00	\$106.20	1	N/A
EVT-AH16-VT2Q	1U 16-Channel Active Balun Hub. Allows up to 16 CCTV cameras to be connected via inexpensive Cat5e/6 UTP cable. Rack mount or stackable. 16 Video inputs (terminal block). 32 Video outputs (2 per channel). Dual voltage: 12/24 VAC/VDC. Built-in surge protection and ground loop isolation at each channel.	\$695.00	\$1,069.30	1	4
EVT-RB1-4T2Q	Active Video Balun Receiver. Up to 8,000ft range with active transmitter. Video, data, and surge protection. Interlockable.	\$39.00	\$60.00	1	25
EVT-TB1-42TQ	Active Video Balun Transmitter. Up to 1.5 mile (2.4km) range with active receiver. Video, data, and surge protection. Interlockable. Includes 12VDC 0.5 Amp power adapter.	\$39.00	\$60.00	1	25
EV-Y1201-A2WQ	4-in-1 HD Bullet Camera, 2.8mm lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, up to 50' illumination, 30 IR LEDs, Joystick OSD Control, 90° viewing angle, 12VDC, and weather-resistant	\$32.00	\$49.30	1	20
EV-Y1201-AMWQ	4-in-1 HD Bullet Camera, 2.8~12mm lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, up to 50' illumination, 3 IR (III) LEDs, Joystick OSD Control, and weather-resistant, cables concealed in bracket to prevent tampering	\$45.00	\$69.30	1	20
EV-Y2201-A2GQ	4-in-1 HD Rollerball Camera, 2.8mm lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, up to 50' illumination, 24 IR LEDs, Joystick OSD Control, 90° viewing angle, 12VDC, vandal-resistant and weather-resistant, grey housing	\$29.50	\$45.40	1	20
EV-Y2201-A2WAQ	4-in-1 HD Vandal Dome Camera, 2.8mm lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, 24 IR LEDs, Joystick OSD Control, vandal-resistant and weather-resistant, supports UTC programming.	Available Spring 2020			
EV-Y2201-A2WQ	4-in-1 HD Rollerball Camera, 2.8mm lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, up to 50' illumination, 24 IR LEDs, Joystick OSD Control, 90° viewing angle, 12VDC, vandal-resistant and weather-resistant, white housing.	\$29.50	\$45.40	1	20
EV-Y2201-AMGQ	4-in-1 HD Rollerball Camera, 2.8~12mm lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, up to 100' illumination, 36 IR LEDs, Joystick OSD Control, 30°~90° viewing angle, 12VDC, vandal-resistant and weather-resistant, grey housing.	\$39.00	\$60.00	1	20
EV-Y2201-AMWAQ	4-in-1 HD Vandal Dome Camera, 2.8~12mm lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, 24 IR LEDs, Joystick OSD Control, vandal-resistant and weather-resistant, supports UTC programming.	\$44.00	\$67.70	1	20
EV-Y2201-AMWQ	4-in-1 HD Rollerball Camera, 2.8~12mm lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, up to 100' illumination, 36 IR LEDs, Joystick OSD Control, 30°~90° viewing angle, 12VDC, vandal-resistant and weather-resistant, white housing.	\$39.00	\$60.00	1	20
EV-Y2201-ANWQ	4-in-1 HD Vandal Dome Camera with 2.8~12mm motorized lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, up to 100' illumination, 36 IR LEDs, Joystick OSD Control, 30°~90° viewing angle, 12VDC, vandal-resistant and weather-resistant housing	Available Spring 2020			
EV-Y2301-A3WQ	4-in-1 HD Rollerball Camera with Sony STARVIS CMOS Sensor, 3.0mm lens, 1080P, DWDR/3D-NR, TVI/CVI/AHD/Analog format, 24 IR LEDs, Joystick OSD Control, vandal-resistant and weather-resistant, supports UTC programming.	Available Spring 2020			
EV-Y4201-A2SQ	4-in-1 HD Corner-Mount Camera, 2.9mm lens, 1080p, DWDR, 3D-NR, TVI/CVI/AHD/Analog Format, 1/2.9" 2 MP Sony CMOS, 30 Covert IR LEDs, Joystick OSD Control, 130° viewing angle, 12VDC, Vandal Resistant and weather-resistant IP65, silver	\$122.00	\$187.70	1	12
EV-Y5105-N2SQ	4-in-1 HD Wall Plate Camera, 2.9mm lens, 1080p, 150° viewing angle, DWDR, 3D-NR, Sony 1/3.2" 1.3MP STARVIS CMOS, 12VDC, vandal resistant and weather resistant. One single-gang and one slimline plate included.	\$109.00	\$167.70	1	50
EV-Y6201-A3WQ	4-IN-1 HD UFO Camera, 3.7mm pinhole lens rotates to nearly any angle for flexible installations, 3D digital noise reduction, digital wide dynamic range, 1/2.9" Sony CMOS, 1080p resolution, low-profile design, IP66 weatherproof, white	\$65.00	\$100.00	1	20
EV-Y6221-A3WQ	4-IN-1 HD Covert PIR Camera, 3.7mm pinhole lens, 2D digital noise reduction, digital wide dynamic range, 1/2.9" Sony CMOS, 1080p resolution, low-profile design, 18 covert IR LEDs for discreet monitoring, white	\$52.50	\$80.80	1	20
EV-Y7403-AMWQ	4-in-1 HD PTZ Camera, 3D digital noise reduction, digital wide dynamic range, 1080p resolution, IR range up to 262ft (80m), 4.7~47mm Lens with 10x optical zoom, 360° horizontal rotation, 0°~90° vertical rotation, IP66 weatherproof	Available Spring 2020			
GW-SD31W	Smoke Detector Wire Guard, protects smoke detectors against vandalism and accidental damage, oven baked paint for corrosion resistance, welded at all points for strength.	\$12.95	\$20.00	1	N/A
IPV-P188Q	PoE Surge Protector. Protects a PoE camera from surges of electricity. RJ45 jack input, RJ45 jack output.	\$24.95	\$38.40	1	100

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
IPV-PD88Q	IP Surge Protector. Protects an IP camera from surges of electricity. RJ45 jack input, RJ45 jack output.	\$19.95	\$30.70	1	100
LD-1123-PAQ	Single Channel Loop Detector, 12~24VAC/VDC, single loop input, 7 adjustable sensitivity settings, 2 relays: pulse or presence/fault, 11-pin connector, ABS/Aluminum housing, power-on automatic reset and manual reset functions available, tunable operation frequency, two presence modes: limited or permanent.	\$35.00	\$53.90	1	N/A
LD-1125-PAQ	Multi Voltage Loop Detector, 12~240VAC/VDC, single loop input, 16 adjustable sensitivity settings, 2 relays: pulse or presence/fault, 11-pin connector, ABS/Aluminum housing, power-on automatic reset and manual reset functions available, tunable operation frequency, two presence modes: limited or permanent.	Available Spring 2020			
LD-1334-WAQ	Ground Loop Wand, Built-In Loop, N.O. Output, 3 wire connection, ABS Housing, Power-On Reset	Available Spring 2020			
LD-ACC-WH	Loop Detector Wire Harness	\$3.95	\$6.10	1	N/A
LS-313A-14Q	Wireless Outlet Controllers, 3 wireless outlet receivers and 1 remote transmitter, wirelessly control devices or appliances, low power consumption, prolong mechanical life of a switch, transmitter compatible with wireless light sockets	\$13.30	\$20.50	1	20
LS-525A-14Q	Wireless Outlet Controllers, 5 wireless outlet receivers and 2 remote transmitters, wirelessly control devices or appliances, low power consumption, prolong mechanical life of a switch, transmitter compatible with wireless light sockets	\$21.70	\$33.40	1	20
MC-1130-03FQ	4K High-Speed HDMI Cable, 3ft, 28AWG, UL CL3, 18 GBPS, HDR	\$2.95	\$4.60	1	150
MC-1130-06FQ	4K High-Speed HDMI Cable, 6ft, 28AWG, UL CL3, 18 GBPS, HDR	\$3.45	\$5.40	1	100
MC-1130-10FQ	4K High-Speed HDMI Cable, 10ft, 28AWG, UL CL3, 18 GBPS, HDR	\$5.85	\$9.00	1	70
MC-1130-16FQ	4K High-Speed HDMI Cable, 16ft, 28AWG, UL CL3, 18 GBPS, HDR	\$7.95	\$12.30	1	50
MC-1130-18NQ	4K High-Speed HDMI Cable, 1.5ft, 28AWG, UL CL3, 18 GBPS, HDR	\$2.60	\$4.00	1	200
MC-1130-25FQ	4K High-Speed HDMI Cable, 25ft, 26AWG, UL CL3, 18 GBPS, HDR	\$12.75	\$19.70	1	20
MC-1130-35FQ	4K High-Speed HDMI Cable, 35ft, 26AWG, UL CL3, 18 GBPS, HDR	\$18.50	\$28.50	1	16
MC-1130-50FQ	4K High-Speed HDMI Cable, 50ft, 26AWG, UL CL3, 18 GBPS, HDR	\$23.00	\$35.40	1	16
MC-2101Q	HDMI Coupler with 180° rotation for tight mounting behind a monitor . Use to join two HDMI cables together. Gold-plated contacts. Compatible with all 19-pin HDMI contacts. Supports HDCP.	\$4.50	\$7.00	1	100
MC-2201Q	HDMI Coupler. Use to join two HDMI cables together. Gold-plated contacts. Compatible with all 19-pin HDMI cables. Supports HDCP.	\$3.50	\$5.40	1	100
MIR-AS-01Q	IR Receiver Adapter, for use with MIR-K16S-2101Q	\$6.40	\$9.90	1	1
MIR-E-101Q	Single IR Emitter, for use with MIR-K16S-2101Q	\$3.20	\$5.00	1	100
MIR-E-201Q	Dual IR Emitter, for use with MIR-K16S-2101Q	\$3.60	\$5.60	1	100
MIR-K16S-2101Q	IR Distribution Kit, contains one IR Distribution Block, one IR Receiver and two Single IR Emitters	\$24.00	\$37.00	1	40
MVA-HT01Q	HDMI to Composite Converter, converts HDMI to composite video + stereo audio, supports input resolutions up to 1920x1080, supports NTSC or PAL output, Stereo analog audio output, plug and play operation.	\$31.50	\$48.50	1	100
MVA-HV01Q	HDMI to VGA & Stereo Audio Converter. Converts HDMI input to a VGA & Stereo Audio output. Power by USB connection (USB cable included).	\$21.00	\$32.40	1	100
MVA-TH01Q	Composite to HDMI Converter with Scaler, converts composite video + stereo audio to HDMI, supports 720p or 1080p selectable output, stereo analog audio input, plug and play operation	\$32.00	\$49.30	1	100
MVA-VH01Q	VGA & Stereo to HDMI Converter. Converts VGA input (plus stereo audio) to HDMI signal. 5VDC Power adapter included.	\$42.00	\$64.70	1	100
MVD-AH12-01Q	HDMI Splitter. Transmit a single HDMI source to up to two different high-definition TVs or HDMI displays. Supports up to 1080p resolution and 3D video. Includes 5VDC power supply.	\$21.00	\$32.40	1	50
MVD-AH14-01Q	HDMI Splitter. Transmit a single HDMI source to up to four different high-definition TVs or HDMI displays. Supports up to 1080p resolution and 3D video. Includes 5VDC power supply.	\$42.00	\$64.70	1	20
MVD-AH18-01Q	HDMI Splitter. Transmit a single HDMI source to up to eight different high-definition TVs or HDMI displays. Supports up to 1080p resolution and 3D video. Includes 5VDC power supply.	\$74.00	\$113.90	1	10
MVD-V1101-1RQ	Additional receiver for MVD-V1201-01Q. 5VDC Power Supply Included.	\$45.00	\$69.30	1	22
MVD-V1201-1Q	Active VGA Extender over Cat5e/6 with Audio, 1-in 2-out. Allows for one local station and one remote station. Can extend remote station up to 460ft (140m) over a single Cat5e/6 cable at 1920x1200 resolution. Longer range at lower resolution. Set includes 1 transmitter and 1 receiver. 5VDC power supply included.	\$75.00	\$115.40	1	20
MVE-AA11-01NQ	HDMI Extender over Coax Cable. Connect HDMI equipment using existing coax cable. Range to 328' (100m). IR pass-thru for remote control extension. Two (2) 5VDC power supplies included)	\$179.00	\$275.40	1	30
MVE-AH1E1-01NQ	HDMI over single Cat5e/6. Extends range up to 164ft (50m) over Cat6. Connect HDMI equipment using low-cost Cat5e/6 UTP cables. HDMI over Cat5e/6 without any signal loss. Supports full 1080p resolution. Special features include HDMI Loop output. Includes two 5VDC power supplies.	\$46.00	\$70.80	1	30

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
MVE-AH1E1-41NQ	4K HDMI over single Cat5e/6. Extends range up to 164ft (50m) over Cat6. Connect HDMI equipment using low-cost Cat5e/6 UTP cables. HDMI over Cat5e/6 without any signal loss. Supports 4K@30Hz resolution. Special features include Bi-directional IR. Includes one 12VDC power supply (can be powered at either end), two IR receivers, and two IR transmitters.	\$89.00	\$137.00	1	30
MVE-AH1T1-01YQ	HDMI over Two Wires. Extends range up to 984ft (300m) over any two copper wires. Connect HDMI equipment using any two copper wires including Cat5e/6 cables, telephone wires, and coaxial cables. HDMI over Two Wires. without any signal loss. Supports full 1080p resolution. Special features include Bi-directional IR and RS-232. Includes two 12VDC power supplies, two IR receivers, and two IR transmitters.	\$199.00	\$306.20	1	10
MVE-AH1T1-01YRQ	Receiver Only for MVE-AH1T1-01YQ	\$110.00	\$169.30	1	10
MVE-AH1W1-01NQ	Long-Range Wireless Extender for HDMI sends high-definition audio and video wirelessly up to 656ft (200m)*. There are no cables required between the transmitter and receiver which makes for an easy installation. The extender also supports IR Pass-through for remotely controlling the HDMI source.	\$319.00	\$490.80	1	10
MVE-AHMPM-01NQ	HDMI Extender over IP, Tx and Rx Kit, extends 1080p HDMI signals up to 393ft (120m) over a single UTP Cat5e/6 cable, supports point-to-point/point-to-many and many-to-many network configuration, HDCP compliant, can be cascaded for many layers by adding more Ethernet switches, with wideband IR (38-56kHz) control to the source, supports TCP/IP protocol, with mounting ears.	\$139.50	\$214.70	1	12
MVE-AHMPM-01NRQ	HDMI Extender over IP, Transmitter, extends 1080p HDMI signals up to 393ft (120m) over a single UTP Cat5e/6 cable, supports point-to-point/point-to-many and many-to-many network configuration, HDCP compliant, can be cascaded for many layers by adding more Ethernet switches, with wideband IR (38-56kHz) control to the source, supports TCP/IP protocol, with mounting ears.	\$68.00	\$104.70	1	20
MVE-AN1W1-01Q	Wireless IR Repeater System. Transmit an IR signal up to 656' (200m). IR frequency of 20~60KHz.	\$49.00	\$75.40	1	40
MVE-PN11-01Q	IR over HDMI Kit. Adds IR pass-through to HDMI devices. Convenient for applications where the HDMI source is not near the monitor.	\$19.00	\$29.30	1	100
MVM-AH44-01YQ	HDMI Matrix. 4-In, 4-Out. Supports up to 1080p and 3D video. Includes 5VDC power supply and IR remote.	\$279.00	\$429.30	1	7
MVR-HH01Q	HDMI Repeater. Extends high-definition video and digital audio up to 115ft (35m). Supports high-definition video up to 1080p.	\$17.00	\$26.20	1	50
MVS-AH31-01NQ	HDMI Switcher, 3 HDMI Inputs, supports up to 4K/2K resolution and 3D video, individual status LEDs for each HDMI input, switch will automatically select the active input for added convenience, includes remote control for switching between inputs.	\$18.50	\$28.50	1	50
NE-AE01-030TQ	Ethernet over Coax with PoE. Extends PoE signal camera over coax cable. Supports 10/100 Mbps transmission rate. Power source from PoE injector/PoE Switch (sold as a set).	\$125.00	\$192.40	1	40
NE-SE01-020Q	Basic Passive 1 channel Ethernet Extender. 10 Mbps/Full duplex. Transmission distance of up to 650ft (200M) Built in surge protection. Sold as set	\$16.25	\$25.00	1	100
NJ-P101M-PQ	Simple PoE injectors. Send power over network via Ethernet cable when a PoE switch is not available. LED power indicator. Built in surge protection.	\$8.50	\$13.10	1	100
NR-P101FQ	PoE Repeater, 802.3af compliant. Extends power and data an additional 394ft (120m). Auto-sensing for detecting PoE or non PoE devices.	\$49.00	\$75.40	1	50
PA-U0405-NULQ	4-Channel Brick Power Supply. 4 Outputs. 5 Amps. Universal 100-240 VAC. Adjustable output voltage 12-13.8 VDC. Built-in over-current protection. Mounting bracket included.	\$16.50	\$25.40	1	25
PB-1311-WWQ	Rocker Switch Flush-mount, contact rated 3A@36VDC, SPDT switch (NO/NC/COM), 33/8"x33/8"x17/16" (86x86x36mm). Minimum order quantity of 10pcs.	\$2.60	\$4.00	1	100
PB-2318-SQ	Mini Request-to-Exit Surface-mount Button, SPDT switch, contact rated 3A@36VDC, large metal button, surface-mount with backbox, 2 1/16"x2 1/16"x1 9/16" (53x53x39mm). Weather resistant, IP65, housing. Minimum order quantity of 3pcs.	\$15.50	\$23.90	1	100
PB-2618-GQ	Mini Request-to-Exit Green Button, N.O., contact rated 3A@36VDC, large metal button, surface-mount with backbox, 2 1/16"x2 1/16"x1" (53x53x35mm). Minimum order quantity of 3pcs.	\$11.95	\$18.40	1	100
PB-2811-WWQ	Rocker Switch Surface-mount with Backbox, contact rated 3A@36VDC, SPDT switch (NO/NC/COM), 2 1/16"x2 1/16"x1 1/16" (69x69x27mm). Minimum order quantity of 10pcs.	\$3.90	\$6.00	1	100
PB-5118-GQ	Mini Request-to-Exit Green Mushroom Pushbutton, N.O., contact rated 3A@36VDC, surface-mount with backbox, 3 1/8"x13/16"x15/16" (80x30x24mm). Minimum order quantity of 3pcs.	\$11.40	\$17.60	1	100
PB-5318-SQ	Mini Request-to-Exit Surface-mount Button, SPDT switch, contact rated 3A@36VDC, surface-mount with backbox, 3 1/8"x13/16"x15/16" (80x30x24mm). Weather resistant, IP65, housing. Minimum order quantity of 3pcs.	\$15.85	\$24.40	1	100
PB-5348-SQ	Mini Request-to-Exit Illuminated Push Button, SPDT switch, contact rated 3A@36VDC, surface-mount with backbox, 3 1/8"x13/16"x15/16" (80x30x24mm). Weather resistant, IP55, housing. Minimum order quantity of 3pcs.	\$10.45	\$16.10	1	100
PB-5811-WWQ	Rocker Switch Surface-mount, contact rated 3A@36VDC, SPDT switch (NO/NC/COM), 33/8"x13/4"x1/2" (86x43x13mm). Minimum order quantity of 10pcs.	\$2.55	\$4.00	1	100
PC-U0405-PULQ	Switching CCTV Power Supply. 4 Outputs, 5 Amps, PTC fuses, individual status LEDs for each output.	\$25.00	\$38.50	1	10
PC-U0910-PULQ	Switching CCTV Power Supply. 9 Outputs, 10 Amps, PTC fuses, individual status LEDs for each output.	\$35.00	\$53.90	1	10
PC-U1810-PULQ	Switching CCTV Power Supply. 18 Outputs, 10 Amps, PTC fuses, individual status LEDs for each output.	\$39.50	\$60.80	1	5

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
PC-U1820-PULQ	Switching CCTV Power Supply. 18 Outputs, 20 Amps, PTC fuses, individual status LEDs for each output.	\$48.00	\$73.90	1	5
PC-U1830-PULQ	Switching CCTV Power Supply. 18 Outputs, 30 Amps, PTC fuses, individual status LEDs for each output.	\$66.00	\$101.60	1	5
PD-4BTQ	4-Channel Access Power Controller Board, 12~24 VAC/VDC, 10 Amp	\$25.50	\$39.30	1	N/A
PD-5PAQ	Power Distribution module with power failure supervision. 5 Outputs, 1.1A each, PTC Fuses, 5 Amp. Use with SECO-LARM Access Control Power Supply (EAP-5D1Q).	\$19.00	\$29.30	1	20
PD-8BTQ	8-Channel Access Power Controller Board, 12~24 VAC/VDC, 10 Amp	\$35.00	\$53.90	1	N/A
PD-9PSQ	Power Distribution Board. 9 Outputs, 1.1A each, PTC Fuses, 5 Amp.	\$13.00	\$20.00	1	20
PH-U1820-PULQ	Rack-Mount 12VDC CCTV Power Supply, 18 Outputs, 20 Amps, PTC Fuses	\$99.00	\$152.40	1	5
PR-112S-A	Stand-Alone Proximity Reader. Up to 100 users, 1- amp relay output (timed 1-180 sec. or toggle), egress input, tri-color wave-shaped LED status bar for operation and programming. 10 cards included. Weatherproof (IP67)	\$89.00	\$137.00	1	20
PR-312S-PQ	Stand-Alone Proximity Reader. Up to 500 users. 3- amp relay output (timed 1-60 sec. or toggle), egress input, 5 Status LEDs for operations and programming. 10 cards included. Indoor only.	\$39.00	\$60.00	1	60
PR-K1K1-AQ	Proximity Keyfobs (tags) for use with all SECO-LARM proximity reader products (PR-112S-A, PR-312S-PQ, SK-2323-SPQ, SK-1323-SPQ, etc.). Small size: 1¼"x1½"x¼" (30x36x8 mm). EM-125. Sold in multiples of 10 (price is for 1 pc).	\$1.65	\$2.60	10	1000
PR-K1S1-A	Proximity Cards for use with all SECO-LARM proximity reader products (PR-112S-A, PR-312S-PQ, SK-2323-SPQ, SK-2323-SPAQ, SK-1323-SPQ, etc.). EM-125. Sold in multiples of 10 (price is for 1 pc).	\$1.10	\$1.70	10	100
RA-4961-DSQ	Wireless Outdoor PIR Sensor for use with the RA-4961 series receivers	\$21.65	\$33.40	1	50
RA-4961-K1Q	Complete Wireless Alert System, 900MHz contains 4 channel receiver and pushbutton. Can also be synced to a wide variety of wireless devices to suit almost any situation.	\$33.00	\$50.80	1	50
RA-4961-MBQ	Wireless Mailbox/Tilt Sensor for use with the RA-4961 series receivers	\$13.95	\$21.50	1	100
RA-4961-MCQ	Wireless Magnetic Contact for use with the RA-4961 series receivers	\$12.95	\$20.00	1	100
RA-4961-PBQ	Wireless Pushbutton for use with the RA-4961 series receivers	\$9.95	\$15.40	1	100
RA-4961-PRQ	Wireless Indoor PIR Sensor for use with the RA-4961 series receivers	\$19.95	\$30.70	1	100
RA-4961-VPQ	Wireless Vibrating Receiver, 914.8MHz, connects up to 4 wireless transmitter accessories	\$22.00	\$33.90	1	100
RC-135Q	Wireless motion alert system, provides audio and/or video alert when triggered. Up to 390ft (120m) transmission range between sensor and receiver.	\$15.00	\$23.10	1	16
RM-R100-KB1Q	1-Room Occupancy Monitor Kit. Contains Sensor, 1-Room indicator, USB Cable and decals. Powered by 12VDC or USB.	\$49.00	\$75.40	1	50
RM-R100-R2Q	2-Room Indicator - Dual Channel LED Receiver, Powered by 12VDC or USB.	\$14.95	\$23.00	1	50
RM-R100-RB1Q	1-Room Indicator with Buzzer - Single Channel LED Receiver, Powered by 12VDC or USB.	\$21.75	\$33.50	1	50
RM-R100-TBQ	Wall-Mount Help Button, Clear 2" square button with "Push for Help" message, desktop or wall mounted, powered by 9VDC Battery (included).	\$29.95	\$46.10	1	25
RM-R100-TH2Q	Indicator Remote, use to reset a 1-room indicator after it has been triggered by the RM-R100-TBQ.	\$15.95	\$24.60	1	50
SA-025EQ	Delayed Egress Timer. Lock control relay (SPDT): 10A@24VDC. Remote alarm relay (SPDT): 10A@24VDC. Local alarm, transistor ground output. Three rellocking modes via jumper. 12~24 VDC Operation.	\$79.00	\$121.60	1	50
SA-025MQ	Multifunction Timer 12~24VDC with, Auto garage door or gate closer, Guard awake timer, Pulse stretcher, Timed relay output, Timed pulse relay, Counter, Timer.	\$22.50	\$34.70	1	100
SA-025Q	Programmable Timer with case, 1 second to 60 minutes. 12 or 24 VDC Auto switching. LED indicator. Form C relay, 8A@120VAC/24VDC.	\$10.95	\$16.90	1	100
SA-026Q	Miniature Programmable Timer, 1~180 seconds. Buzzer output. Form C relay. Small size: 1¾" x2¼"x¾" (30x55x16 mm).	\$12.50	\$19.30	1	100
SA-027HQ	Programmable Annual Timer with Housing. Terminal blocks protected inside the housing. Push button toggling of the relay outputs. Two N.O. or N.C. Form C relays, 10A@14VDC. 100 Programmable events can be set weekly, daily or hourly. Output can be toggle or momentary and can be programmed for 1~99 seconds.	\$44.00	\$67.70	1	20
SA-027WQ	Programmable 7- Day Timer with Housing. Terminal blocks protected inside the housing. Push button toggling of the relay output. One N.O. or N.C. Form C relay, 10A@14VDC. 60 Programmable events can be set weekly, daily or hourly. Output can be toggle or momentary and can be programmed for 1~99 seconds.	\$33.00	\$50.80	1	20
SB-L10V1-20Q	Backup CCTV power supplies. 10w, 2000mAh. 5/7.5/9 or 12VDC input with corresponding output. Auto switch to internal battery during power failure. Short-circuit, over-voltage, over-load protection.	\$23.00	\$35.40	1	50
SB-P1012-26Q	Backup CCTV power supplies. 10w, 2600mAh. 85~265 VAC Input. 12VDC output. Auto switch to internal battery during power failure. Short-circuit, over-voltage, over-load protection.	\$23.50	\$36.20	1	50
SD-211-BD1Q	Electro-Mechanical Rim Lock, installs on existing gates/doors, can be unlocked if power is lost, works with left and right handed gates/doors.	\$28.75	\$44.30	1	12
SD-231-ND1Q	Electro-Mechanical Gate Latch, installs on existing gates/doors, can be unlocked if power is lost, works with left and right handed gates/doors.	\$24.95	\$38.40	1	12
SD-6176-SS1Q	Piezoelectric pushbutton. Vandal-resistant, slimline plate. "EXIT" and "SALIDA" printed on plate. Programmable illumination surrounding the button: red or green.	\$24.00	\$37.00	1	50

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SD-6176-SSVQ	Piezoelectric pushbutton. Vandal-resistant, slimline plate, mechanical override button. "PUSH TO EXIT" and "Manual Override" printed on plate. Programmable illumination surrounding the button: red or green.	\$35.00	\$53.90	1	50
SD-6276-SS1Q	Piezoelectric pushbutton. Vandal-resistant, single-gang plate. "EXIT" and "SALIDA" printed on plate. Programmable illumination surrounding the button: red or green.	\$25.50	\$39.30	1	50
SD-6276-SSVQ	Piezoelectric pushbutton. Vandal-resistant, single-gang plate, mechanical override button. "PUSH TO EXIT" and "Manual Override" printed on plate. Programmable illumination surrounding the button: red or green.	\$37.00	\$57.00	1	50
SD-7093-SGDQ	Mullion Surface-Mount RTE Bar, LED backlit text, press anywhere on button to activate contact, 12VDC, contact rating 1A@30VDC, current 100mA@12VDC, 2 Color Status LEDs (Blue - Standby, Green - Activated)	\$14.95	\$23.00	1	100
SD-7098-SKDQ	Surface-mount Elbow RTE Push Plate, LED indicator (Red-Standby, Green Triggered). Outputs 1A@30VDC. 12/24 VDC operation. Current draw 24mA@12VDC standby 45mA Active	\$29.95	\$46.10	1	20
SD-71002-V0	Shunt (maintained) N.C. turn-to-open keylock switch in a slimline stainless-steel plate. Key #1300.	\$12.60	\$19.40	1	25
SD-7101KBPE1Q	Black pushbutton on stainless-steel, slimline face plate. N.C. (push-to-open) switch, 1A@125VAC. "EXIT" and "SALIDA" printed on plate.	\$6.25	\$9.70	1	100
SD-7101RAEX1Q	Red pushbutton on stainless-steel, slimline face plate. N.O. (push-to-close) switch, 1A@125VAC. "EXIT" and "SALIDA" printed on plate.	\$6.00	\$9.30	1	100
SD-7103GC-PEQ	Illuminated green "PUSH-TO-EXIT" button. Can replace with included "PRESIONE PARA SALIR" message. SPDT switch, 10A@125-250VAC. Stainless-steel slimline plate.	\$17.95	\$27.70	1	100
SD-7103GC-PTQ	Illuminated green, momentary pushbutton. NO/NC contact, rated 3A@24VDC. Built-in timer (1~180 sec). Stainless-steel slimline plate.	\$29.95	\$46.10	1	25
SD-7104SGEX1Q	Vandal-resistant, 1" diameter, stainless-steel, momentary pushbutton on stainless-steel slimline plate. SPDT switch, 5A@250VAC. "EXIT" and "SALIDA" printed on plate.	\$21.50	\$33.10	1	100
SD-71051-V0	Spring-loaded (momentary) N.C. turn-to-open keylock switch, in a slimline stainless-steel plate. Key # 1300.	\$13.30	\$20.50	1	25
SD-7157-SSTQ	Slimline Request to Exit (RTE) plate with dual color LED, timer and buzzer	Available Spring 2020			
SD-7175SGEX1Q	Vandal-resistant, 1" diameter, illuminated, momentary pushbutton on slimline plate. Field-selectable LED color: red, green, blue, magenta, yellow, cyan, or white (12VDC). "EXIT" and "SALIDA" printed on plate.	\$25.00	\$38.50	1	100
SD-72002-V0	Shunt (maintained) N.C. turn-to-open keylock switch in a single-gang, stainless-steel plate. Key # 1300.	\$14.10	\$21.70	1	25
SD-7201GAPT1Q	1½" Green mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. Built-in delay timer (1~180 sec), NO/NC contact, rated 3A@24VDC. Includes built-in buzzer. "EXIT" and "SALIDA" printed on plate.	\$31.00	\$47.70	1	25
SD-7201GCPE1Q	1½" Green mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate.	\$20.50	\$31.60	1	25
SD-7201GC-PEQ	1½" Green mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "PUSH TO EXIT" printed on plate.	\$20.50	\$31.60	1	25
SD-7201GFPE1Q	1½" Green mushroom-cap button. DPDT switch, two NO and two NC contacts, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate.	\$28.00	\$43.10	1	25
SD-7201KBQ	Black pushbutton on stainless-steel, single-gang face plate. N.C. (push-to-open) switch, 1A@125VAC.	\$8.50	\$13.10	1	100
SD-7201RCPE1Q	1½" Red mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate.	\$20.50	\$31.60	1	25
SD-7202GC-PEQ	Illuminated green 2" square "PUSH-TO-EXIT" button. Can replace with included "PRESIONE PARA SALIR" message. SPDT switch, 10A@125~250VAC. Stainless-steel single-gang plate.	\$17.30	\$26.70	1	25
SD-7202GC-PTQ	Illuminated green 2" square momentary pushbutton. NO/NC Contact, rated 3A@24VDC. Built-in timer (1~180 sec). Stainless-steel single-gang plate.	\$27.95	\$43.00	1	25
SD-72031-6MQ	Single-Gang Mortise Cylinder Key Switch, Maintained: Keyed mortise cylinder (included with 2 keys), DPDT, Mortise cylinder removable for ease of keying, Flush mount, Chrome-plated aluminum back cover fits to single-gang box, Stainless-steel front cover snaps to back cover,	\$43.50	\$67.00	1	30
SD-7204SGEX1Q	Vandal-resistant, 1" diameter, stainless-steel momentary pushbutton on stainless-steel single-gang plate. SPDT switch, 5A@250VAC. "EXIT" and "SALIDA" printed on plate.	\$22.50	\$34.70	1	25
SD-72051-V0	Spring-loaded (momentary) N.C. turn-to-open keylock switch, in single-gang stainless-steel plate. Key #1300.	\$14.60	\$22.50	1	25
SD-72081-6MQ	Single-Gang Mortise Cylinder Key Switch, Momentary: Keyed mortise cylinder (included with 2 keys), DPDT, Mortise cylinder removable for ease of keying, Flush mount, Chrome-plated aluminum back cover fits to single-gang box, Stainless-steel front cover snaps to back cover,	\$46.50	\$71.60	1	30
SD-7213-GSP	R-T-E Plate with Pneumatic Timer (2~60 seconds). 1½" Green mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate. No power required.	\$121.00	\$186.20	1	25
SD-7213-RSP	R-T-E Plate with Pneumatic Timer (2~60 seconds). 1½" Red mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate. No power required.	\$121.00	\$186.20	1	25
SD-7217-GSBQ	R-T-E Plate with 1½" Green mushroom-cap button, 12/24 VDC operation with dual-color LED (red/gree) and adjustable buzzer (85~95dB). NO/NC contact, rated 10A@125VAC.	\$35.50	\$54.70	1	25
SD-7217GWQ	1½" Green mushroom-cap button with single-gang white plate. NO/NC contact, rated 5A@125VAC.	\$16.95	\$26.10	1	25

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SD-7223GW-LQ	Illuminated green 2" square "PUSH-TO-EXIT" button with single-gang white plate. Can replace button cover with included Spanish or French message. SPDT switch, 10A@125~250VAC.	\$16.95	\$26.10	1	25
SD-7257-SSTQ	Single-Gang Request to Exit (RTE) plate with dual color LED, timer and buzzer	Available Spring 2020			
SD-7275SGEX1Q	Vandal-resistant, 1" diameter, illuminated momentary pushbutton on single-gang plate. Field-selectable LED color: red, green, blue, magenta, yellow, cyan, or white (12 VDC). "EXIT" and "SALIDA" printed on plate.	\$26.00	\$40.00	1	50
SD-7286-GWQ	Flush-Mount Request-to-Exit Plate: Large green 2" diameter pushbutton, Flush mount, protrudes only 9/16" (15mm), Aluminum back plate fits to single-gang box, White ABS plastic front cover snaps to back plate, DPDT Momentary switch, 5A@125VAC contact rating	\$11.95	\$18.40	1	30
SD-7623-GSTQ	Illuminated green 2" square RTE plate with dual-color LED (red or green) and timer (1~180 sec). "PUSH TO EXIT" message can be replaced with included "PRESIONE PARA SALIR" message. NO/NC contact rated 5A@125VAC. 12~24 VDC.	\$32.50	\$50.00	1	25
SD-7983-SSHQ	Large 4.5" Round Push Plate with Stainless steel button with the International Symbol of Access and "PUSH TO OPEN". Includes surface-mount plastic back box for easy RF (wireless upgrade).	\$39.00	\$60.00	1	40
SD-8202GT-PEQ	Illuminated green 2" square "PUSH TO EXIT" button with built-in RF transmitter. Use with SECO-LARM 315MHz receivers. 9VDC Battery (included) operation with LED to indicate low battery. Stainless-steel single-gang plate.	\$29.50	\$45.40	1	25
SD-862T-GWSQ	Wireless green 2" square "PUSH TO EXIT" button with built-in RF transmitter. Use with SECO-LARM 315MHz receivers. 9VDC Battery (included) operation with LED to indicate low battery. Place on desktop or mount on wall. English, Spanish, French, and blank message plates included.	\$32.50	\$50.00	1	25
SD-9163-KS1Q	Outdoor No-Touch Sensor with Spanish message, slimline. Adjustable sensing range and relay trigger duration. "SALIDA SIN TOCAR" printed on plate.	Special Order Item Only. Contact SECO-LARM for details.			
SD-9163-KSQ	Outdoor No-Touch Sensor with English message, slimline. Adjustable sensing range and relay trigger duration. "NO TOUCH EXIT" is printed on plate.	\$30.00	\$46.20	1	50
SD-9163-KSVQ	Outdoor No-Touch Sensor with mechanical override button, slimline. Adjustable sensing range and relay trigger duration. "NO TOUCH EXIT" printed on plate.	\$40.00	\$61.60	1	50
SD-9263-KS1Q	Outdoor single-gang No-Touch Sensor with Spanish message. Adjustable sensing range and relay trigger duration. "SALIDA SIN TOCAR" printed on plate.	\$36.00	\$55.40	1	50
SD-9263-KSQ	Outdoor No-Touch Sensor with English message, single-gang. Adjustable sensing range relay and trigger duration. "NO TOUCH EXIT" is printed on plate.	\$36.00	\$55.40	1	50
SD-9263-KSVQ	Outdoor single-gang No-Touch Sensor with mechanical override button. Adjustable sensing range relay and trigger duration. "NO TOUCH EXIT" printed on plate.	\$46.00	\$70.80	1	50
SD-927PKC-NEQ	IR No-Touch Request-To-Exit Sensor with English message. Green illuminated ring turns red and 3A relay is triggered when hand is passed in front of the plate. "NO TOUCH EXIT" printed on plate.	\$22.00	\$33.90	1	50
SD-927PKC-NFQ	IR No-Touch Request-To-Exit Sensor with French message. Green illuminated ring turns red and 3A relay is triggered when hand is passed in front of the plate. "SORTIE SANS CONTACT" printed on plate.	\$22.00	\$33.90	1	50
SD-927PKC-NSQ	IR No-Touch Request-To-Exit Sensor with Spanish message. Green illuminated ring turns red and 3A relay is triggered when hand is passed in front of the plate. "SALIDA SIN TOCAR" printed on plate.	\$22.00	\$33.90	1	50
SD-927PWCQ	IR No-Touch Request-To-Exit Sensor with white plate & white body. Green illuminated ring turns red and 3A relay is triggered when hand is passed in front of the plate. Includes decals in English, Spanish, and French.	\$21.00	\$32.40	1	50
SD-961A-36	Push-to-Exit Bar for 36" doors. Brushed aluminum with a black base. Includes two built-in momentary contacts (NO/NC) and SD-969-A18 armored door cord.	\$72.00	\$110.80	1	6
SD-962AR-36A	Rim-Type Exit Device for 36" doors (32 3/4" length). Dead latch for additional security, reversible, bar can be locked open. UL Listed (USA and Canada).	\$71.00	\$109.30	1	6
SD-962AR-36G	ANSI A 156.3, Grade 1 Rugged Rim Exit Bar. For 30"~48" doors, rim-type, dead latch for additional security, reversible, bar can be locked open. UL listed.	\$156.00	\$240.00	1	4
SD-962H-6LB	Grade 1 Entry-type lever trim. For use with Grade 1 Rugged Rim Exit Bar (SD-962AR-36G). Through-bolted design. 2 Keys included. Non-handed design, easily reversible.	\$125.00	\$192.40	1	10
SD-962H-8LAQ	Mechanical Keypad Door Lock. Fully mechanical (no power required), non-handed operation, free exit from secured side, US26D finish.	\$70.00	\$107.70	1	12
SD-962HL-4A	Entry-type lever trim. For use with model SD-962AR-36A or SD-962SR-36I. USD26D Finish. SC4, 6-pin lock. Non-handed. Two keys included.	\$36.50	\$56.20	1	20
SD-969-A18Q	Armored door cord with plastic arrow-shaped end caps and 18" stainless-steel cable. Sold in multiples of 10 (price is for 1 pc).	\$7.25	\$11.20	10	200
SD-969-H6Q	Electric Hinge, 6 wires (2-18AWG, 4-28AWG), 4.5" x 4.5"	Available Spring 2020			
SD-969-M15Q/B	Stainless-steel armored door cord with removeable cover (Bronze), cord length 15" (39cm).	\$18.35	\$28.30	1	100
SD-969-M15Q/S	Stainless-steel armored door cord with removeable cover (Silver), cord length 15" (39cm).	\$15.00	\$23.10	1	100
SD-969-S18Q	Armored door cord with aluminum end caps and 18" stainless-steel cable. Sold in multiples of 10 (price is for 1 pc).	\$9.95	\$15.40	10	100
SD-969-T15Q/B	Armored door cord with terminal blocks (Bronze), maximum current 34@30VAC/VDC, cord length 15" (39cm).	\$19.95	\$30.70	1	100
SD-969-T15Q/S	Armored door cord with terminal blocks (Silver), maximum current 34@30VAC/VDC, cord length 15" (39cm).	\$19.95	\$30.70	1	100
SD-991A-D1Q	Mini No-Cut Electric Door Strike. Includes stainless steel no-cut and silver aluminum low-cut strike plates. 12VDC, Fail-secure (door locks when power is lost) operation. Optional bronze(SD-991RA-61Q/B) low-cut faceplate available.	\$42.50	\$65.40	1	42

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SD-991RA-61Q/B	Optional bronze low-cut faceplate for use with SD-991A-D1Q	\$4.00	\$6.20	1	N/A
SD-993B-SS	Electric shear lock. 1,500-lb Holding force. Fail-safe (door unlocks when power is lost) operation. 12 or 24 VDC Operation.	\$225.00	\$346.20	1	10
SD-993S-SB	Surface-mount bracket kit for SD-993B-SS.	\$54.00	\$83.10	1	10
SD-993S-UB	(U-type) Mounting bracket kit for mounting SD-993B-SS on most glass doors.	\$38.00	\$58.50	1	10
SD-994A-A1AQ	8-16 VAC/12VDC Reversible Electric Door Strike. Asymmetric (strike portion not centered on the reversible faceplate). Fail Secure operation. US26D chrome faceplate.	\$23.00	\$35.40	1	40
SD-994A-A1SQ	8-16 VAC/12VDC Reversible Electric Door Strike. Symmetric (strike portion is centered on the reversible faceplate). Fail Secure operation. US26D chrome faceplate.	\$23.00	\$35.40	1	40
SD-994C	Electric Door Strike for wood doors. 12VDC, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Indoor use only. ANSI-sized: 7 ¹⁵ / ₁₆ " x1 ¹ / ₄ "x1 ³ / ₈ ", UL Listed.	\$52.00	\$80.00	1	30
SD-994C24	Electric Door Strike for wood doors. 24VDC, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Indoor use only. ANSI-sized: 7 ¹⁵ / ₁₆ " x1 ¹ / ₄ "x1 ³ / ₈ ". UL Listed	\$52.00	\$80.00	1	30
SD-995A-A1Q	Electric Door Strike with Horizontal Adjustment. ¼" adjustment compensates for installation difficulties, 8~16VAC/12VDC operation. Fail-Secure, Unique design accommodates both wood and metal doors. Optional faceplate SD-995RE-21Q also available. Face plate dimensions: 715/16" x11/4" x1/8" (202x32x3.2mm).	\$41.00	\$63.10	1	30
SD-995A-D3Q	Weatherproof Door/Gate Strike, 12 VAC/VDC operation, fail-secure operation, one piece cast body, low current draw: 280mA@12VDC/140mA@24VDC, compatible with most locksets, extra wide keeper 15/8"	\$28.00	\$43.10	1	40
SD-995C	Electric Door Strike for metal doors. 12VDC, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Indoor use only. ANSI-sized: 4 ⁷ / ₈ "x1 ¹ / ₄ "x1 ³ / ₈ ", UL 294 & UL 1034 Listed	\$49.50	\$76.20	1	40
SD-995C24	Electric Door Strike for metal doors. 24VDC, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Indoor use only. ANSI-sized: 4 ⁷ / ₈ "x1 ¹ / ₄ "x1 ³ / ₈ ", UL 294 & UL 1034 Listed.	\$49.50	\$76.20	1	40
SD-995C-D3Q	No-Cut Door Strike.12/24 VDC. Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. UL listed. No horizontal or vertical adjustment possible.	\$66.00	\$101.60	1	14
SD-995C-LE25	1" (25mm) Lip Extender. Compatible with door strikes SD-994C, SD-994C24, SD-995C, SD-995C24, and the SD-996C-NUQ	\$7.00	\$10.80	1	N/A
SD-995C-LE50	2" (50mm) Lip Extender. Compatible with door strikes SD-994C, SD-994C24, SD-995C, SD-995C24, and the SD-996C-NUQ	\$9.00	\$13.90	1	N/A
SD-995JA-11Q	SD-995C Series Door Strike Installation/Router Jig. This jig allows for the increased accuracy in cutting metal door frame for the installation of the SD-995C/SD-995C24/SD-996C-NUQ (with metal door faceplates).	\$24.00	\$37.00	1	N/A
SD-995RE-21Q	Optional faceplate (715/16" x11/4" x1/8" (202x32x3.2mm)) for use with SD-995A-A1Q	\$3.00	\$4.70	1	N/A
SD-9963-KSGQ	Post-Mount No-Touch Sensor. 12~24 VDC. "Goose-neck" mountable. Adjustable sensing range and delay time. Weatherproof for outdoor use.	\$61.00	\$93.90	1	10
SD-996A-D3Q	Frameless Glass Door Strike. 12/24 VDC. Fail-secure (door locks when power is lost) operation. Accommodates 3/8" or 1/2" thick frameless glass doors.	\$59.50	\$91.60	1	30
SD-996B-D3Q	Frameless Glass Door Strike. 12/24 VDC. Fail-safe (door unlocks when power is lost) operation. Accommodates 3/8" or 1/2" thick frameless glass doors.	\$59.50	\$91.60	1	30
SD-996C-NUQ	12/24 VDC Universal Door Strike. Includes three face plates for nearly any type of door. Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. UL listed.	\$64.00	\$98.50	1	40
SD-996C-NUVQ	Electric Door Strike with Vertical Adjustment. Vertical adjustable deadbolt opening, sliding shim keeper, and deadlatch ramp accommodates a wide range of lock types, accommodates deadbolts up to 1", 12/24 VAC/VDC operation, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Static Strength - 1,000lbs, UL Listed	\$169.00	\$260.00	1	18
SD-997A-GBQ	Electric Deadbolt Fail-secure Operation, 12/24 VDC operation, similar to SD-997B-GBQ but fail-secure, incorporate manual lock/unlock cylinder to operate lock if power is lost.	\$114.00	\$175.40	1	10
SD-997B-1SQ	Mini Surface-Mount Electric Deadbolt. Fail-safe (door unlocks when power is lost). 12VDC	\$55.00	\$84.70	1	25
SD-997B-GBQ	Fail-safe Electric Deadbolt, for concealed deadbolt security. Door unlocks when power is lost. Dual voltage: 12/24 VDC.	\$89.00	\$137.00	1	10
SD-997C-GCQ	Electric Deadbolt Cabinet Lock, 12/24VDC operation, fail-safe/fail-secure operation, electronically secures lockers/cabinets/cases/etc, Lock status sensor allows for monitoring whether doors are locked, current draw: 300mA@12VDC/150mA@24VDC	\$24.50	\$37.70	1	50
SD-997SMB-AQ	Surface-mount Bracket for SD-997BQ or SD-997B-GBQ. Includes brackets for lock body and strike plate. (Not compatible with SD-997AQ or SD-997A-DQ.)	\$32.00	\$49.30	1	10
SD-997UB-AQ	"U" Bracket for mounting SD-997BQ or SD-997B-GBQ on glass doors. (Not compatible with SD-997AQ or SD-997A-DQ.)	\$35.00	\$53.90	1	10
SD-998C-D3AQ	UL Listed, UL 294 and UL 1034, Surface-mount Electric Rim Strike, Concealed mounting screws, 12/24VDC operation, 1,500-lb jaw strength, 1/2" (19mm) thick metal housing, accommodates up to 3/4" Pullman latch, dynamic strength 70ft-lb, static strength - 1,500lbs, field-programmable for fail-safe/fail-secure operation, horizontal adjustment, metal or wood frame installation.	\$170.00	\$261.60	1	10

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SD-998C-D3Q	UL Listed, UL 294 and UL 1034, Surface-mount Electric Rim Strike, Concealed mounting screws, 12/24VDC operation, 1,500-lb jaw strength, 3/4" (19mm) thick metal housing, accommodates up to 3/4" Pullman latch, dynamic strength 70ft-lb, static strength - 1,500lbs, field-programmable for fail-safe/fail-secure operation, horizontal adjustment, metal or wood frame installation.	\$160.00	\$246.20	1	10
SD-998C-NUAQ	Surface-mount Electric Rim Strike, 12/24VDC operation, 1,500-lb jaw strength, 1/2" (19mm) thick metal housing, accommodates up to 3/4" Pullman latch, dynamic strength 70ft-lb, static strength - 1,500lbs, field-programmable for fail-safe/fail-secure operation, horizontal adjustment, metal or wood frame installation. UL 294 & UL 1034 Listed	\$160.00	\$246.20	1	10
SD-998C-NUQ	Surface-mount Electric Rim Strike, 12/24VDC operation, 1,500-lb jaw strength, 3/4" (19mm) thick metal housing, accommodates up to 3/4" Pullman latch, dynamic strength 70ft-lb, static strength - 1,500lbs, field-programmable for fail-safe/fail-secure operation, horizontal adjustment, metal or wood frame installation. UL Listed	\$150.00	\$230.80	1	10
SD-C101-SBAQ	Door Closer, door weight: 45~330-lb, adjustable spring force, concealing plastic cover, Grade-1 adjustable sweep speed/latching speed and back check. ANSI size 1~6, max door width: 60". 5 year warranty	\$39.00	\$60.00	1	6
SD-C101-SBBQ	Door Closer, door weight: 145~330-lb, adjustable spring force, concealing plastic cover, Grade-1 adjustable sweep speed, latching speed, and back check. ANSI size 1~6, max door width: 60". 5 year warranty	\$49.00	\$75.40	1	4
SD-C101-SGQ	Grade-1 Door Closer, adjustable for size 1~6, door weight up to 330-lbs. Adjustable sweep speed, latch speed, and back check. Anodized aluminum body, silver finish, and forged steel arms. 5 year warranty	\$35.00	\$53.90	1	10
SD-C121-S	Door Closer. Size 2, door weight up to 100-lbs (45kg). Adjustable sweep and latch speed, anodized aluminum body, silver finish, and forged steel arms. 3 year warranty	\$14.95	\$23.00	1	10
SD-C131-SQ	Door Closer. Size 3, door weight up to 140-lbs (65kg). Adjustable sweep and latch speed, anodized aluminum body, silver finish, and forged steel arms. 1 year warranty	\$19.00	\$29.30	1	10
SD-H412	1) Electric Transfer Hinge. 5-knuckle, 4-wire transfer hinge with concealed wiring, 12~24 VAC/VDC, Heavy-duty, vandal-resistant steel, US26D (652)	\$42.25	\$65.00	1	20
SD-R400-BQ	Microwave RTE Sensor, 12~24VDC, 10-ft (3m) adjustable sensing range, adjustable relay output time, red LED indicator on activation, indoor use only.	\$39.00	\$60.00	1	18
SH-504Q	Electronic Buzzer, 85dB, 3/4" Diameter. Sold in multiples of 10pc. (price is for 1pc.).	\$2.50	\$3.90	10	500
SH-506Q	Electronic Buzzer, 93dB, 3~28VDC, 1" Diameter, surface mount. Sold in multiples of 10 (price is for 1 pc).	\$1.95	\$3.00	10	500
SH-512BQ	Single-Tone Chime, 105dB/1m@12VDC, 6~14 VDC, 200mA@12VDC	\$3.50	\$5.40	1	100
SH-513L/BK	117dB Single-tone siren, 6~12 VDC, miniature size 3 1/4" long, 3 1/4" diameter.	\$5.50	\$8.50	1	40
SH-525SQ	Surface-mount Dual-Tone Wall Siren, 100dB/1m@12VDC, 6~14 VDC, 550mA@12VDC	\$3.40	\$5.30	1	24
SH-532BQ	Multi-Tone Chime, 105dB/1m@12VDC, 6~14 VDC, 200mA@12VDC	\$5.50	\$8.50	1	100
SH-816S-BQ	9~15 VDC Self-Contained 120dB Warble-Tone Siren. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65.	\$29.00	\$44.70	1	20
SH-816S-SQ/A	9~15 VDC Xenon Tube Strobe Light with 120dB Warble-Tone siren. 75 flashes/minute. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Amber Lens.	\$44.50	\$68.50	1	10
SH-816S-SQ/B	9~15 VDC Xenon Tube Strobe Light with 120dB Warble-Tone siren. 75 flashes/minute. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Blue Lens.	\$44.50	\$68.50	1	10
SH-816S-SQ/C	9~15 VDC Xenon Tube Strobe Light with 120dB Warble-Tone siren. 75 flashes/minute. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Clear Lens.	\$44.50	\$68.50	1	10
SH-816S-SQ/R	9~15 VDC Xenon Tube Strobe Light with 120dB Warble-Tone siren. 75 flashes/minute. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Red Lens.	\$44.50	\$68.50	1	10
SH-905SQ	Surface-mount Wall Speaker, 15W	\$3.25	\$5.00	1	24
SK-1011-SDQ	Indoor Stand-Alone Keypad with 1000 users and one 1A relay output. Includes quick code, wrong-code lockout, smart egress input, three LEDs, built-in buzzer, and back box.	\$27.50	\$42.40	1	50
SK-1123-FDQ	Flush-Mount Outdoor Illuminated Stand-Alone Keypad. Weather resistant and vandal resistant. 1100 Users, two outputs, 12~24 VDC/VAC operation. Includes duress, quick code, wrong-code lockout, smart egress input, visitor codes, three LEDs, built-in buzzer, and back box.	\$63.00	\$97.00	1	20
SK-1123-SDQ	Surface-Mount Outdoor Illuminated Stand-Alone Keypad. Weather resistant and vandal resistant. 1100 Users, two outputs, 12~24 VDC/VAC operation. Includes duress, quick code, wrong-code lockout, smart egress input, visitor codes, three LEDs, built-in buzzer, and back box.	\$67.00	\$103.10	1	20
SK-1123-SPQ	Surface-Mount Outdoor Illuminated Stand-Alone Keypad with proximity reader. Weather resistant and vandal resistant. 1100 Users, two outputs, 12~24 VDC/VAC operation. Includes duress, quick code, wrong-code lockout, smart egress input, visitor codes, three LEDs, built-in buzzer, and back box.	\$79.00	\$121.60	1	20
SK-1131-SPQ	Indoor Illuminated Stand-Alone keypad with Prox Reader, 1200 users and three outputs. Includes duress, quick code, wrong-code lockout, egress input, three LEDs, built-in buzzer, and back box.	\$36.50	\$56.20	1	50
SK-1323-SDQ	Sealed-Housing Outdoor Stand-Alone Keypad. Weatherproof (IP65). Backlit keys, 1,010 user codes, 2~6 digit code length, two relay outputs (Form C NO/NC/COM), two egress inputs, one door sensor input, optical tamper sensor. Fully-epoxied circuitry for outdoor use.	\$64.00	\$98.50	1	20

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SK-1323-SPQ	Sealed-Housing Outdoor Stand-Alone Keypad with Built-In Proximity Reader (125kHz). Weatherproof (IP65), backlit keys, 1,010 user codes, 2~6 digit code length, two relay outputs (Form C NO/NC/COM), two egress inputs, one door sensor input, optical tamper sensor, fully-epoxied circuitry for outdoor use, proximity cards sold separately (see model PR-K1S1-A or PR-K1K1-AQ).	\$74.00	\$113.90	1	20
SK-2323-SDQ	Mullion-Style Outdoor Stand-Alone Keypad. Weatherproof (IP65). Backlit keys, 1,010 user codes, 2~6 digit code length, two relay outputs (Form C NO/NC/COM), two egress inputs, one door sensor input, optical tamper sensor. Fully-epoxied circuitry for outdoor use.	\$74.00	\$113.90	1	20
SK-2323-SPAQ	Mullion-Style Outdoor Stand-Alone Keypad with Built-In Proximity Reader. Weatherproof (IP65). Backlit piezoelectric touch keys (can be pressed with gloves on), 1,010 user codes, 2~6 digit code length, two relay outputs (Form C NO/NC/COM), two egress inputs, one door sensor input, optical tamper sensor. Fully-epoxied circuitry for outdoor use. Proximity cards sold separately (see model PR-K1S1-A or PR-K1K1-AQ).	\$94.00	\$144.70	1	20
SK-2323-SPQ	Mullion-Style Outdoor Stand-Alone Keypad with Built-In Proximity Reader (125 kHz). Weatherproof (IP65). Backlit keys, 1,010 user codes, 2~6 digit code length, two relay outputs (Form C NO/NC/COM), two egress inputs, one door sensor input, optical tamper sensor. Fully-epoxied circuitry for outdoor use. Proximity cards sold separately (see model PR-K1S1-A or PR-K1K1-AQ).	\$84.00	\$129.30	1	20
SK-2612-SFSQ	Fingerprint Reader and Keypad, 500DPI optical fingerprint reader, Form C relay output, adjustable output time or toggle mode, verification method: fingerprint/PIN, user capacity: 3000 users (1000 fingerprint users, 2000 PIN users), PIN length: 4~6 digits, 12VDC operation, 26~44 bit wiegand output, IP66	\$85.00	\$130.80	1	20
SK-3133-PPQ	Heavy Duty Outdoor Keypad with Proximity Reader. Rugged, stainless-steel construction for outdoor use. Individual keys are backlit. Each code can be 4~8 digits. 12~24 VDC/VAC.	\$114.50	\$176.20	1	10
SK-4131-SPSQ	Split-series Keypad with Proximity Reader, keypad and control board are separated for high security applications, built-in proximity card reader: 125kHz (EM125), 1200 users over 3 outputs, code length: 4~8 digits, 12~24VDC operation, built-in door chime, 4 available programmable access modes for all outputs: card only/code only/card and common user code/car and unique user code, up to 50 possible temporary visitor codes, smart egress input, real time clock disables access at specific times.	\$49.00	\$75.40	1	20
SK-5611-SPQ	RF Wireless Keypad, 433.92MHz, IP66 Weather resistant housing, up to 2 years of battery life, includes RF receiver with relay output, anti-tamper outlet	Available Spring 2020			
SK-910R2-4Q	2-Channel RF Receiver, 433.92 MHz. 11~24 VDC/VAC. Two Form C dry relay contacts (NO/NC/COM), 8A@24VDC. Four output modes. For use with any SECO-LARM 433.92MHz transmitter.	\$29.00	\$44.70	1	50
SK-910R3Q	3-Channel Receiver. Compatible with all 315MHz SECO-LARM transmitters. Three Form C dry relay contacts rated 8A@24VDC.	\$31.50	\$48.50	1	20
SK-910R4-4Q	4-Channel RF Receiver, 433.92 MHz. 11~24 VDC/VAC. Four Form C dry relay contacts (NO/NC/COM), 8A@24VDC. Four output modes. For use with any SECO-LARM 433.92MHz transmitter.	Special Order Item Only. Contact SECO-LARM for details.			
SK-910R4Q	4-Channel Receiver. Compatible with all 315MHz SECO-LARM transmitters. Four Form C dry relay contacts rated 8A@24VDC.	\$38.25	\$58.90	1	20
SK-910R-4Q	1-Channel RF Receiver, 433.92 MHz. 11~24 VDC/VAC. One Form C dry relay contact (NO/NC/COM), 8A@24VDC. Five output modes. For use with any SECO-LARM 433.92MHz transmitter.	\$25.00	\$38.50	1	50
SK-910RAQ	Miniature 1-Channel RF Receiver. Compatible with all 315MHz SECO-LARM transmitters. 11~24 VDC/VAC. Form C dry relay contact. 1A@24VDC. Four output modes. 315MHz.	\$19.25	\$29.70	1	100
SK-910RAV2Q	Miniature 2-Channel RF Receiver. Compatible with all 315MHz SECO-LARM transmitters. 3~13.8 VDC Operating voltage. Low current draw. Two 3 Amp transistor ground outputs. 315MHz.	\$19.25	\$29.70	1	100
SK-910RAVQ	Miniature 1-Channel RF Receiver. Compatible with all 315MHz SECO-LARM transmitters. 3~13.8 VDC Operating voltage. Low current draw. 5 Amp transistor ground output. 315MHz.	\$18.25	\$28.10	1	100
SK-910RB2-4Q	2-Channel RF Receiver, 433.92 MHz. 11~24 VDC/VAC. Two Form C dry relay contact (NO/NC/COM), 8A@24VDC. Five output modes. For use with any SECO-LARM 433.92MHz transmitter.	Available Spring 2020			
SK-910RB2Q	2-Channel Receiver. Compatible with all 315MHz SECO-LARM transmitters. Five programmable output modes. Each output is independently configurable. Two 10A@24VDC relay outputs. 315MHz.	\$24.00	\$37.00	1	50
SK-910RBQ	1-Channel RF Receiver. Compatible with all 315MHz SECO-LARM transmitters. 11~24 VDC/VAC. Form C dry relay contact (NO/NC/COM), 8A@24VDC. Five output modes.	\$21.50	\$33.10	1	50
SK-915BA	Replacement 12-volt alkaline battery for all SECO-LARM transmitters except handheld. Sold in multiples of 10 (price is for 1 pc).	\$0.45	\$0.70	10	500
SK-915LP	Leather pouch for SK-919TD1S-UP, SK-939TS1S, & SK-919TT1S-BU transmitters.	\$0.95	\$1.50	1	100
SK-917T1-GBQ	1-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping.	\$10.50	\$16.20	1	500
SK-917T1-GBUQ	1-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping. No ENFORCER logo on cover.	Special Order Item Only. Contact SECO-LARM for details.			
SK-917T2A-UQ	2-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping.	\$11.00	\$17.00	1	500
SK-917T2-GNQ	2-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping.	\$11.00	\$17.00	1	500
SK-917T3-GNQ	3-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping.	Special Order Item Only. Contact SECO-LARM for details.			
SK-917T4-GNQ	4-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping.	\$12.90	\$19.90	1	500
SK-917TP4J-NU	4-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. CODEBUMP: Code changes every time transmitter button is pressed. Buttons are numbered. No logo.	\$13.50	\$20.80	1	500

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SK-919T1-GBQ	1- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded.	\$9.00	\$13.90	1	100
SK-919T1-GBUQ	1- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded. No ENFORCER logo on cover.	\$9.00	\$13.90	1	100
SK-919T2-GNQ	2- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded.	\$9.50	\$14.70	1	100
SK-919T3-GNQ	3- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded.	\$10.25	\$15.80	1	100
SK-919T4-GNQ	4- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded.	\$11.30	\$17.40	1	100
SK-919TDWS-BUQ	1-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded. Wired for connection to buttons, sensors, etc., to remotely activate devices.	\$10.75	\$16.60	1	100
SK-919TP1H-BUQ	1-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. One channel, slimline, handheld.	\$18.00	\$27.70	1	100
SK-919TP2H-NUQ	2-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Three channels, slimline, handheld.	\$19.00	\$29.30	1	100
SK-919TP4H-NUQ	4-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. 15 Channels, slimline, handheld.	\$22.00	\$33.90	1	100
SK-919TP4J-NUQ	4-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded. Buttons are numbered. No logo.	\$13.00	\$20.00	1	500
SK-919TP4JQ	4-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded. Buttons show icons. ENFORCER logo printed on case. Replaces SK-919T4J.	\$13.00	\$20.00	1	500
SK-919TT1S-BUQ	1-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. With DIP-switch coding. Use for block coding or to match an existing transmitter. LED transmission indicator.	\$13.50	\$20.80	1	500
SK-91ERSD	Extended Range Antenna (dipole type) for up to 1,000ft range. Plugs into SK-910RBQ, SK-910RA, SK-910RAQ, SK-910R2BQ, SK-910R4Q. Flexible antenna ears.	\$9.50	\$14.70	1	100
SK-937T1-GBQ	1-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Code Hopping.	Special Order Item Only. Contact SECO-LARM for details.			
SK-937T1-GBUQ	1-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Code Hopping. No ENFORCER logo on cover.	Special Order Item Only. Contact SECO-LARM for details.			
SK-937T2-GNQ	2-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Code Hopping.	Special Order Item Only. Contact SECO-LARM for details.			
SK-937T3-GNQ	3-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Code Hopping.	Special Order Item Only. Contact SECO-LARM for details.			
SK-937T4-GNQ	4-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Code Hopping.	Special Order Item Only. Contact SECO-LARM for details.			
SK-939T1-GBQ	1-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Pre-coded.	Special Order Item Only. Contact SECO-LARM for details.			
SK-939T1-GBUQ	1-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Pre-coded. No ENFORCER logo on cover.	\$9.95	\$15.40	1	500
SK-939T2-GNQ	2-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Pre-coded.	Special Order Item Only. Contact SECO-LARM for details.			
SK-939T3-GNQ	3-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Pre-coded.	Special Order Item Only. Contact SECO-LARM for details.			
SK-939T4-GNQ	4-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Pre-coded.	Special Order Item Only. Contact SECO-LARM for details.			
SK-939TS2A-PQ	2-Button, RF Transmitter. 433.92 MHz. For use with SK-910R2-4Q receiver.	\$18.00	\$27.70	1	500
SK-93ERSD	Extended Range Antenna (dipole type) for up to 1,000ft range. Plugs into SK-910R-4Q, SK-910R2-4Q, SK-910R4-4Q. Flexible antenna ears.	\$9.90	\$15.30	1	100
SK-990AQ	Fail-secure Electric Door Strike for wood doors. Door locks when power is lost. Indoor use only. 12VDC/VAC.	\$21.00	\$32.40	1	50
SK-990BQ	Fail-Safe Electric Door Strike for wood doors. Door unlocks when power is lost. Indoor use only. 12VDC/VAC.	\$21.00	\$32.40	1	50
SK-9HBC	Belt-Clip Holster/wall-mount switch for SK-919TP1H-BUQ, SK-919TP2H-NUQ, & SK-919TP4H-NUQ (handheld transmitters).	\$1.50	\$2.40	1	100
SL-126-A24Q/A	6-24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/minute, 150mA current draw at 24VDC. Amber lens.	\$13.50	\$20.80	1	40
SL-126-A24Q/B	6-24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/min, 150mA current draw at 24VDC. Blue lens.	\$13.50	\$20.80	1	40
SL-126-A24Q/C	6-24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/min, 150mA current draw at 24VDC. Clear lens.	\$13.50	\$20.80	1	40
SL-126-A24Q/G	6-24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/min, 150mA current draw at 24VDC. Green lens.	\$13.50	\$20.80	1	40
SL-126-A24Q/R	6-24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/min, 150mA current draw at 24VDC. Red lens.	\$13.50	\$20.80	1	40
SL-126LQ/A	Replacement lens for SL-126Q/A, SL-126-A24Q/A, SL-1301-EAQ/A. SL-1301-BAQ/A, or SL-1301-SAQ/A strobe lights. Amber.	\$2.50	\$3.90	1	50
SL-126LQ/B	Replacement lens for SL-126Q/B, SL-126-A24Q/B, SL-1301-EAQ/B, SL-1301-BAQ/B, or SL-1301-SAQ/B strobe lights. Blue.	\$2.50	\$3.90	1	50
SL-126LQ/C	Replacement lens for SL-126Q/C, SL-126-A24Q/C, SL-1301-EAQ/C, SL-1301-BAQ/C, or SL-1301-SAQ/C strobe lights. Clear.	\$2.50	\$3.90	1	50
SL-126LQ/G	Replacement lens for SL-126Q/G, SL-126-A24Q/G, SL-1301-EAQ/G, SL-1301-BAQ/G, or SL-1301-SAQ/G strobe lights. Green.	\$2.50	\$3.90	1	50

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SL-126LQ/R	Replacement lens for SL-126Q/R, SL-126-A24Q/R, SL-1301-EAQ/R , SL-1301-BAQ/R , or SL-1301-SAQ/R strobe lights. Red.	\$2.50	\$3.90	1	50
SL-126Q/A	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Amber lens.	\$10.25	\$15.80	1	40
SL-126Q/B	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Blue lens.	\$10.25	\$15.80	1	40
SL-126Q/C	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Clear lens.	\$10.25	\$15.80	1	40
SL-126Q/G	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Green lens.	\$10.25	\$15.80	1	40
SL-126Q/R	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Red lens.	\$10.25	\$15.80	1	40
SL-1301-BAQ/A	9~15 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Amber lens.	\$20.50	\$31.60	1	40
SL-1301-BAQ/B	9~15 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Blue lens.	\$20.50	\$31.60	1	40
SL-1301-BAQ/C	9~15 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Clear lens.	\$20.50	\$31.60	1	40
SL-1301-BAQ/G	9~15 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Green lens.	\$20.50	\$31.60	1	40
SL-1301-BAQ/R	6~12 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Red lens.	\$20.50	\$31.60	1	40
SL-1301-EAQ/A	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Amber lens.	\$10.25	\$15.80	1	40
SL-1301-EAQ/B	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Blue lens.	\$10.25	\$15.80	1	40
SL-1301-EAQ/C	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Clear lens.	\$10.25	\$15.80	1	40
SL-1301-EAQ/G	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Green lens.	\$10.25	\$15.80	1	40
SL-1301-EAQ/R	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Red lens.	\$10.25	\$15.80	1	40
SL-1301-SAQ/A	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Amber lens.	\$29.00	\$44.70	1	40
SL-1301-SAQ/B	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Blue lens.	\$29.00	\$44.70	1	40
SL-1301-SAQ/C	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Clear lens.	\$29.00	\$44.70	1	40
SL-1301-SAQ/G	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Green lens.	\$29.00	\$44.70	1	40
SL-1301-SAQ/R	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Red lens.	\$29.00	\$44.70	1	40
SL-1311-MA/B	12VDC High-Intensity LED Strobe Light. Incorporates four 1W LEDs.19 Different flash patterns. Indoor/outdoor use. Blue LEDs.	\$45.00	\$69.30	1	20
SL-1312-SA/B	6~15 VDC Mini Strobe Siren. Mounts in single-gang box or surface-mount. Weatherproof, Indoor/outdoor use. Blue Lens. Minimum order quantity of 10pcs.	\$4.30	\$6.70	10	108
SL-1312-SA/R	6~15 VDC Mini Strobe Siren. Mounts in single-gang box or surface-mount. Weatherproof, Indoor/outdoor use. Red Lens. Minimum order quantity of 10pcs.	\$4.30	\$6.70	10	108
SL-1901-DAQ	Conduit drop bracket. Compatible with all SL-126 and SL-1301 series. Can be used with the SL-1901-JAQ.	\$11.95	\$18.40	1	N/A
SL-1901-JAQ	Conduit box bracket. Compatible with all SL-126 and SL-1301 series. Can be used with the SL-1901-DAQ	\$12.95	\$20.00	1	N/A
SL-3301-BAQ	9~24 VDC Multi-Color LED Strobe Light. Incorporates 25 LEDs. 50,000-Hour operating life. 7 different colors which can be set manually via DIP switches, or triggered by an external device via 3 trigger input wires.	\$32.00	\$49.30	1	40
SLI 259A	Dual-Stage Microwave Sensor. Siren chirps if someone gets too close to the vehicle, alarm is triggered upon vandalism attempt.	\$13.00	\$20.00	1	100
SLI 762FP-ISS	Touchkey Immobilizer. Two Touchkeys supplied with each unit. Flashing status LED indicates immobilizer armed, disarmed, code-learning mode, and valet override.	\$25.00	\$38.50	1	20
SLI 820R	Three systems in one: Add on to factory keyless entry system to provide complete alarm functions. With addition of SK-919T4J transmitters, use as stand-alone alarm system. Use both factory remote control and SK-919TP4JQ remote control to work factory alarm system. Additional features include door lock inputs, outputs, starter disable, and horn honk. Additional features when ENFORCER remote is used: 2nd channel, dedicated panic button, sensor bypass, and chirp delete.	\$35.00	\$53.90	1	N/A
SLI 820RA	Similar to model SLI 820R, but without the siren and shock sensor.	\$27.00	\$41.60	1	20
SLI 840	High-End Keyless Entry/Alarm. For use on almost any vehicle security application. Use as a keyless entry system, or as a complete multi-featured alarm. (500 pc. MOQ)	Special Order Item Only. Contact SECO-LARM for details.			

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SL-S212-BAQ	12-Inch LED Strip light with 3M adhesive backing. 12VDC operation, three different brightness levels. Flexible, can connect up to 30 strips in series, strips can be cut to length. Blue light. Must be used with model SL-SAS-PC1Q Power Connector, sold separately. Sold in multiples of 10 (price is for 1 pc).	\$11.25	\$17.40	10	100
SL-S212-RAQ	12-Inch LED Strip light with 3M adhesive backing. 12VDC operation, three different brightness levels. Flexible, can connect up to 30 strips in series, strips can be cut to length. Must be used with model SL-SAS-PC1Q Power Connector, sold separately. Red lights. Sold in multiples of 10 (price is for 1 pc).	\$11.25	\$17.40	10	100
SL-S212-YAQ	12-Inch LED Strip light with 3M adhesive backing. 12VDC operation, three different brightness levels. Flexible, can connect up to 30 strips in series, strips can be cut to length. Must be used with model SL-SAS-PC1Q Power Connector, sold separately. Yellow lights. Sold in multiples of 10 (price is for 1 pc).	\$11.25	\$17.40	10	100
SL-SAS-EC1Q	End Cap. Flexible plastic LED strip end cap to protect end connection of SL-S212 series LED strips. Sold in multiples of 10 (price is for 1 pc).	\$0.35	\$0.60	10	100
SL-SAS-PC1	Power Connector. Flexible plastic LED strip power connector to connect power to the SL-S212 series LED strips. Standard 2.1mm center positive jack. Sold in multiples of 10 (price is for 1 pc).	\$1.05	\$1.70	10	N/A
SM-200Q/BR	Surface-Mount N.C. Magnetic Contact with screw terminals and cover, brown. 3/4" Gap. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.05	\$1.70	10	500
SM-200Q/W	Surface-Mount N.C. Magnetic Contact with screw terminals and cover, white. 3/4" Gap. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.05	\$1.70	10	500
SM-204/W	Surface-Mount N.C. Magnetic Contact with flange and pre-wired 15" leads from center, white. 1" Gap. Mounts with screws or included 3M tape. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.45	\$2.30	10	1000
SM-204M/BR	Magnet for SM-204Q & SM-205Q. Brown. Sold in multiples of 10 (price is for 1 pc).	\$0.60	\$1.00	10	1000
SM-204MQ/W	Magnet for SM-204Q & SM-205Q. White. Sold in multiples of 10 (price is for 1 pc).	\$0.60	\$1.00	10	1000
SM-204Q/BR	Surface-Mount N.C. Magnetic Contact with flange and pre-wired 15" leads from center, brown. 1" Gap. Mounts with screws or included 3M tape. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.45	\$2.30	10	1000
SM-205Q/BR	Surface-Mount N.C. Magnetic Contact with flange and pre-wired 15" leads from side, brown. 1" Gap. Mounts with screws or included 3M tape. UL Listed. Sold in multiples of 10 (price is for 1 pc).	\$1.45	\$2.30	10	1000
SM-205Q/W	Surface-Mount N.C. Magnetic Contact with flange and pre-wired 15" leads from side, white. 1" Gap. Mounts with screws or included 3M tape. UL Listed. Sold in multiples of 10 (price is for 1 pc).	\$1.45	\$2.30	10	1000
SM-206Q/BR	1/4" Recessed-Mount N.C. Magnetic Contact with bare magnet and 15" leads, brown. 1" Gap. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.30	\$2.00	10	1000
SM-206Q/W	1/4" Recessed-Mount N.C. Magnetic Contact with bare magnet and 15" leads, white. 1" Gap. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.30	\$2.00	10	1000
SM-207-5LQ/BR	3/8" Diameter Press-Fit Mount N.C. Magnetic Contact with stubby switch and standard-size magnet. 1" Gap. Brown. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SM-207-5LQ/W	3/8" Diameter Press-Fit Mount N.C. Magnetic Contact with stubby switch and standard-size magnet. 1" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SM-207-5Q/BR	3/8" Diameter Press-Fit Mount N.C. Magnetic Contact with stubby switch and stubby magnet. 3/8" Gap. Brown. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SM-207-5Q/W	3/8" Diameter Press-Fit Mount N.C. Magnetic Contact with stubby switch and stubby magnet. 3/8" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SM-207Q/BR	3/8" Diameter Press-Fit Mount N.C. Magnetic Contact with pre-wired 15" leads. 1" Gap. UL Listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$1.35	\$2.10	10	1000
SM-207Q/W	3/8" Diameter Press-Fit Mount N.C. Magnetic Contact with pre-wired 15" leads. 1" Gap. UL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.35	\$2.10	10	1000
SM-216Q/BR	Surface-Mount N.C. Magnetic Contact with screw terminals. 2 3/4" Gap. UL Listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$3.40	\$5.30	10	200
SM-216Q/GY	Surface-Mount N.C. Magnetic Contact with screw terminals. 2 3/4" Gap. UL Listed. Gray. Sold in multiples of 10 (price is for 1 pc).	\$3.40	\$5.30	10	200
SM-217Q/W	Miniature Surface-Mount N.C. Magnetic Contact with concealed screw terminals. 2" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$2.45	\$3.80	10	500
SM-226L-3Q	Overhead Door-Mount Magnetic Contact with three wires for N.O. or N.C. applications. Magnet mounted on "L" bracket, contact in die-cast aluminum housing with pre-wired 24" leads, flexible stainless-steel cable. 2 3/4" Gap.	\$12.50	\$19.30	1	50
SM-226LQ	Overhead Door-Mount N.C. Magnetic Contact. Magnet mounted on "L" bracket, contact in die-cast aluminum housing with pre-wired 24" leads, flexible stainless-steel cable. 2 3/4" Gap. UL Listed.	\$6.95	\$10.70	1	50
SM-226R-3Q	Overhead Door-Mount N.O./N.C. Magnetic Contact. Magnet mounted on "L" Bracket, contact in die-cast aluminum housing with pre-wired 24" leads, flexible stainless-steel cable. 2 3/4" Gap. Magnet enclosed in metal round-backed bracket.	\$12.50	\$19.30	1	50
SM-226RQ	Overhead Door-Mount N.C. Magnetic Contact. Magnet mounted on "L" Bracket, contact in die-cast aluminum housing with pre-wired 24" leads, flexible stainless-steel cable. 2 3/4" Gap. UL listed. Magnet enclosed in metal round-backed bracket.	\$7.00	\$10.80	1	50
SM-300Q/BR	Surface-Mount N.O. Magnetic Contact with screw terminals. Includes terminal cover. 3/4" Gap. UL listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$2.00	\$3.10	10	500

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SM-300Q/W	Surface-Mount N.O. Magnetic Contact with screw terminals. Includes terminal cover. 3/4" Gap. UL listed. White. Sold in multiples of 10 (price is for 1 pc).	\$2.00	\$3.10	10	500
SM-4003-TQ/W	Surface-Mount N.C. Magnetic Contact with quick-connect terminal block. No mounting tabs. 1" Gap. UL, CUL, Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SM-4004-LQ/W	Capsule-Type Surface-Mount N.C Magnetic Contact with quick-connect terminal block and 18" leads. 3/4" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SM-4004-TQ/W	Capsule-Type Surface-Mount N.C Magnetic Contact with quick-connect terminal block. 3/4" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$1.55	\$2.40	10	1000
SM-407-5TQ/W	3/8" Stubby Press-Fit Mount N.C. Magnetic Contact with quick-connect terminal block. 3/4" Gap. UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SM-4102-TQ/W	3/8" Stubby Press-Fit Mount N.C. Magnetic Contact with quick-connect terminal block. 1" Gap. UL, CUL listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.25	\$2.00	10	1000
SM-4103-LQ/W	3/8" Rare-Earth, Stubby Press-Fit Mount N.C. Magnetic Contact with quick-connect terminal block. 1" Gap. 18" leads. UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.25	\$2.00	10	1000
SM-4103-TQ/W	3/8" Rare-Earth, Stubby Press-Fit Mount N.C. Magnetic Contact with quick-connect terminal block. 1/2" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$1.35	\$2.10	10	1500
SM-4104-TQ/W	3/4" Steel Door Recessed N.C Magnetic Contact with quick-connect terminals. 1" Gap. UL, CUL Listed. White. Sold in Multiples of 10. (price is for 1 pc).	\$1.95	\$3.00	10	500
SM-4105-LQ/B	3/4" Steel Door Recessed N.C Magnetic Contact with quick-connect terminals. 1" Gap. 18" leads. UL, CUL Listed. Brown. Sold in Multiples of 10. (price is for 1 pc).	\$1.90	\$3.00	10	500
SM-4105-LQ/W	3/4" Steel Door Recessed N.C Magnetic Contact with quick-connect terminals. 1" Gap. 18" leads. UL, CUL Listed. White. Sold in Multiples of 10. (price is for 1 pc).	\$1.90	\$3.00	10	500
SM-4201-LQ	Track-Mount N.C Overhead Magnetic Door Contact. Rugged aluminum housing with 36" leads enclosed in armored cable. 3" Gap.	\$11.75	\$18.10	1	35
SM-4301-TQ/W	Plunger-Type Recessed-Mount N.C Magnetic Contact with quick-connect terminals. Plunger travel is 1/4". UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.45	\$2.30	10	500
SM-4302-LQ/W	Roller-Ball Recessed-Mount N.C Magnetic Contact. 360° rollerball. 18" leads. Roller travel is 1/4". UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	500
SM-4303-TQ/W	Roller-Ball Recessed-Mount N.C Magnetic Contact with quick-connect terminals. 360° rollerball. Roller travel is 1/4". UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.45	\$2.30	10	500
SM-431-T/B	Surface-Mount N.C. Magnetic Contact with quick-connect terminal block. 1" Gap. UL, CUL Listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SM-431-TQ/W	Surface-Mount N.C. Magnetic Contact with quick-connect terminal block. 1" Gap. UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SM-433-T/B	Surface-Mount N.C. Magnetic Contact with concealed screw terminals. 1 1/4" Gap. UL, CUL Listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$1.30	\$2.00	10	500
SM-433-TQ/W	Surface-Mount N.C. Magnetic Contact with concealed screw terminals. 1 1/4" Gap. UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.30	\$2.00	10	500
SM-4601-L3Q	Industrial Wide-Gap N.O/N.C Magnetic Contact. Weatherproof rugged aluminum housing with 36" leads enclosed in armored cable. 3" Gap. Minimum order quantity of 5pcs.	\$7.95	\$12.30	5	50
SM-4601-LQ	Industrial Wide-Gap N.C Magnetic Contact. Weatherproof rugged aluminum housing with 36" leads enclosed in armored cable. 3" Gap. UL, CUL Listed. Minimum order quantity of 5pcs.	\$6.35	\$9.80	5	50
SM-815-63	Alnico 5 Magnet, 5/8" long x 1/8" diameter. Sold in multiples of 10 (price is for 1 pc).	\$0.60	\$1.00	10	100
SM-815-95	Alnico 5 Magnet, 3/4" long x 3/8" diameter. Sold in multiples of 10 (price is for 1 pc).	\$0.70	\$1.10	10	100
SM-824-32	Alnico 5 magnet, 1" long x 1/2" diameter. Sold in multiples of 10 (price is for 1 pc).	\$0.60	\$1.00	10	100
SM-831	Alnico 5 magnet, 1 1/2" long x 1/4" diameter. Sold in multiples of 10 (price is for 1 pc).	\$0.60	\$1.00	10	500
SM-851	Aluminum "Z" Bracket for SM-216Q. Sold in multiples of 10 (price is for 1 pc).	\$1.20	\$1.90	10	500
SR-1212-C2ALQ	High-sensitivity (1mA trigger), low current draw (15mA), trigger input voltage of 3~24 VDC, relay board. 12/24 VDC auto-sensing, one relay, 2A@250VAC, DPDT.	\$6.35	\$9.80	1	100
SR-1212-C7ALQ	High-sensitivity (1mA trigger), current draw (60mA), trigger input voltage of 3~24 VDC, heavy-duty relay board. 12/24 VDC, two relays, 7A@250VAC, SPDT.	\$6.35	\$9.80	1	100
SR-2112-C7AQ/10	Mini relay board. Breakaway package of 10, 12/24 VDC, one relay, 7A@125VAC, SPDT. (Price is for one breakaway 10-pack.)	\$29.50	\$45.40	1	100
SR-2206-C5AQ	Heavy-duty relay board. 6/12 VDC, auto-sensing, one relay, 5A@250VAC, DPDT.	\$5.50	\$8.50	1	100
SR-2212-C5AQ	Heavy-duty relay board. 12/24 VDC, one relay, 5A@250VAC, DPDT.	\$5.95	\$9.20	1	100
SR-5203A	Power door lock interface with built-in programmable 0.7 or 3.5 second timer. Two heavy-duty, 30-Amp relays built in. Use with vacuum door locks or any other type of door lock system.	\$14.00	\$21.60	1	N/A
SS-032Q/RD	Red N.O. Momentary pushbutton switch for 1/2" hole. Sold in multiples of 10 (price is for 1 pc).	\$1.00	\$1.60	10	1000
SS-033Q/BK	Black N.C. Momentary pushbutton switch for 1/2" hole. Sold in multiples of 10pc. (price is for 1 pc).	\$1.00	\$1.60	10	1000
SS-040Q/BR	Vibration Detector for closed circuits to protect walls, windows, ceilings. Pure-silver contact points, adjustable sensitivity, and tamper-proof cover. Contact rated 1.0A@50VDC. Brown. Sold in multiples of 10 (price is for 1 pc).	\$2.10	\$3.30	10	500
SS-040Q/W	Vibration Detector for closed circuits to protect walls, windows, ceilings. Pure-silver contact points, adjustable sensitivity, and tamper-proof cover. Contact rated 1.0A@50VDC. White. Sold in multiples of 10 (price is for 1 pc).	\$2.10	\$3.30	10	500
SS-052B	Dual-Stage Electromagnetic Shock Sensor. Siren chirps if car is lightly tapped, alarm triggered if there is a break-in attempt.	\$8.00	\$12.40	1	100

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SS-061LSN	Pin Switch. Heavy-duty, long-travel switch. Steel body with nylon fiberglass shaft and stainless-steel contact terminal. Fits 9/32" hole. Sold in multiples of 10 (price is for 1 pc).	Special Order Item Only. Contact SECO-LARM for details.			
SS-066TL	European-style pin switch. Brass body with nylon/fiberglass shaft. Shaft can be cut to different heights. Sold in multiples of 10 (price is for 1 pc).	\$0.85	\$1.40	10	500
SS-072Q	N.C. Tamper Switch. Plunger-type, SPST, screw terminals. For panel/bell/siren boxes. UL listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.05	\$1.70	10	500
SS-073Q	N.O. Tamper Switch. Plunger-type, SPST, screw terminals. For panel/bell/siren boxes. UL listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.05	\$1.70	10	500
SS-074Q/BG	Double-Button Momentary Hold-Up Switch with SPST contacts for open circuit. Rated 1A@25VDC. 12" Leads.	\$4.75	\$7.40	1	250
SS-075C-PEQ	NO/NC Momentary Surface-Mount Switch. Includes labels: "EMERGENCY", "PUSH TO EXIT," and "PRESIONE PARA SALIR". Contact rated 0.5A@12VDC. Sold in multiples of 10 (price is for 1 pc).	\$1.85	\$2.90	10	1000
SS-075CQ	"EMERGENCY" Button. NO/NC Momentary Contact. Contact rated 0.5A@12VDC. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.20	10	1000
SS-075Q	N.O. Momentary Surface-Mounted Switch. "EMERGENCY" printed on face. Contact rated 0.5A@12VDC. Off-white. Sold in multiples of 10 (price is for 1 pc).	\$0.75	\$1.20	10	1000
SS-076Q/SW	SPST Toggle Switch in plastic case with 6" wire leads. Rated 3A@125VDC. Snow-white. Sold in multiples of 10 (price is for 1 pc).	\$1.65	\$2.60	10	500
SS-077Q	Latching N.C. Panic Button. Push-to-open, with key reset. 1A@12VDC. Surface-mount ABS plastic case with stainless-steel cover.	\$5.25	\$8.10	1	100
SS-078-KEYQ	Spare Key for SS-077Q and SS-078Q.	\$0.50	\$0.80	1	50
SS-078Q	Latching N.O. Panic Button. Push-to-close, with key reset. 1A@12VDC. Surface-mount ABS plastic case with stainless-steel cover.	\$5.25	\$8.10	1	100
SS-090-1H0	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable in OFF position only. Key #1300. Sold in multiples of 5 (price is for 1 pc).	\$7.25	\$11.20	1	25
SS-090-2H0	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1300. Sold in multiples of 5 (price is for 1 pc).	\$6.10	\$9.40	5	50
SS-090-2H1	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1301. Sold in multiples of 5 (price is for 1 pc).	\$6.10	\$9.40	5	50
SS-090-2H2	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1302. Sold in multiples of 5 (price is for 1 pc).	\$6.10	\$9.40	5	50
SS-090-2H3	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1303. Sold in multiples of 5 (price is for 1 pc).	\$6.10	\$9.40	5	50
SS-090-2H4	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1304. Sold in multiples of 5 (price is for 1 pc).	\$6.10	\$9.40	5	50
SS-090-2H5	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1305. Sold in multiples of 5 (price is for 1 pc).	\$6.10	\$9.40	5	50
SS-090-2H6	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1306. Sold in multiples of 5 (price is for 1 pc).	\$6.10	\$9.40	5	50
SS-090-2H7	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1307. Sold in multiples of 5 (price is for 1 pc).	\$6.10	\$9.40	5	50
SS-090-2H8	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1308. Sold in multiples of 5 (price is for 1 pc).	\$6.10	\$9.40	5	50
SS-090-2H9	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1309. Sold in multiples of 5pc. (price is for 1pc.)	\$6.10	\$9.40	5	50
SS-090-2HX	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1310. Sold in multiples of 5 (price is for 1pc.)	\$6.10	\$9.40	5	50
SS-090KN-0	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1300. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-1	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1301. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-2	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1302. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-3	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1303. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-4	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1304. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-5	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1305. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-6	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1306. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-7	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1307. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-8	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1308. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-9	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1309. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-090KN-X	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1310. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$2.00	5	50
SS-095-1H0	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1300. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-095-1H1	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1301. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
SS-095-1H2	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1302. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-095-1H3	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1303. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-095-1H4	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1304. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-095-1H5	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1305. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-095-1H6	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1306. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-095-1H7	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1307. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-095-1H8	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1308. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-095-1H9	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1309. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-095-1HX	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1310. Sold in multiples of 5 (price is for 1 pc).	\$6.95	\$10.70	5	50
SS-199Q	Slimline Remote Plate with 3/4" D-hole. Sold in multiples of 10 (price is for 1 pc).	\$1.75	\$2.70	10	500
SS-202Q	Foil Connection Blocks (pair). UL listed. Sold in multiples of 10 (price is for 1 pc).	\$0.35	\$0.60	10	1000
SS-299Q	Single-Gang Plate with 3/4" D-hole. Sold in multiples of 10 (price is for 1 pc).	\$1.95	\$3.00	10	100
SSW-113H	Water Sensor, detects conductive, non-flammable liquids. For open loop circuits. Sold in multiples of 2 (price is for 1 pc).	\$2.45	\$3.80	2	200
ST-1206-1.5AQ	Power Supply Charger. Provides 6 or 12 VDC regulated output at 1.5A continuous and 2A peak.	\$7.25	\$11.20	1	100
ST-2406-10AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 9A continuous and 10A peak.	\$59.00	\$90.80	1	20
ST-2406-2AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 1.5A continuous and 2A peak.	\$8.50	\$13.10	1	100
ST-2406-3AEQ	3A Power Supply Charger with Enclosure. Provides 6, 12 or 24 VDC regulated output at 2.5A continuous and 3A peak. Built-in Low Battery Cutoff when voltage drops below 20%. Room in enclosure for two 4Ah batteries or one 7Ah battery.	\$37.00	\$57.00	1	4
ST-2406-3AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 2.5A continuous and 3A peak. Built-in Low Battery Cutoff when voltage drops below 20%.	\$20.50	\$31.60	1	100
ST-2406-5AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 4A continuous and 5A peak.	\$29.00	\$44.70	1	25
ST-2406-7AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 7A continuous and 7.5A peak.	\$49.00	\$75.40	1	20
ST-BD01Q	Low Battery Cutoff. Prevents the deep discharge of backup batteries. Selectable input 12 or 24VDC. Adjustable voltage cut-off and restore point.	\$7.50	\$11.60	1	100
ST-BT03Q	Battery Tester. Tests continuity, voltage, load, polarity, voltage drop, PTC fuse. 12/24 VDC, buzzer for audible continuity, and LED headlight to illuminate area.	\$20.95	\$32.30	1	100
ST-L0521-TUQ	Snap-In USB Keystone Charger	\$11.95	\$18.40	1	100
ST-LA108-TPQ	0.8A Voltage Converter. 16~28 VDC/VAC input voltage. 12 VDC output voltage. Includes 2.1mm DC Plug.	\$7.25	\$11.20	1	100
ST-LA115-TPQ	1.5A Voltage Converter. 18~28 VDC/VAC input voltage. 12 VDC output voltage. Includes 2.1mm DC Plug.	\$10.50	\$16.20	1	100
ST-LA130-TTQ	3.0A Voltage Converter. 18~28 VDC/VAC input voltage. 12/24 VDC output voltage. Includes 2.1mm DC Plug.	\$15.95	\$24.60	1	100
ST-UV12-S1.0Q	12VDC Plug-In Switching AC Adapter. 1A Output. UL, CUL listed. Minimum order quantity of 10pcs.	\$4.25	\$6.60	10	50
ST-UV12-S2.0Q	12VDC Plug-In Switching AC Adapter. 2A Output. UL, CUL listed. Minimum order quantity of 10pcs.	\$5.85	\$9.00	10	50
ST-UV12-S5.0Q	12VDC Tabletop Switching Power Supply. 5A Output. UL, CUL listed.	\$14.50	\$22.40	1	20
ST-UV16-W100Q	Open-Frame Transformer. Output voltage: 16VAC/100W. Input voltage: 120VAC or 240VAC.	\$18.00	\$27.70	1	10
ST-UV16-W50Q	Open-Frame Transformer. Output voltage: 16VAC/50W. Input voltage: 120VAC or 240VAC.	\$13.50	\$20.80	1	10
ST-UV24-W50Q	Open-Frame Transformer. Output voltage: 24VAC/50W. Input voltage: 120VAC or 240VAC.	\$13.50	\$20.80	1	10
ST-UVDA-W100Q	Open-Frame Transformer. Output voltage: 24 or 28 VAC/100W. Input voltage: 120VAC or 240VAC.	\$18.00	\$27.70	1	10
ST-UVDA-W180Q	Open-Frame Transformer. Output voltage: 24 or 28 VAC/180W. Input voltage: 120VAC or 240VAC.	\$31.00	\$47.70	1	5
VA-1102B-WYQ	4-in-1 HD Video Distributor, 1 input, 2 outputs. Compatible with TVI, CVI, AHD, and Analog video formats.	\$28.00	\$43.10	1	50
VC-2VAQ	VGA to BNC Converter. Converts a VGA signal to composite video for viewing on any monitor or TV with a composite input. Includes 5VDC power supply.	\$57.00	\$87.70	1	20
VC-3BAQ	BNC to VGA Converter. Video converter to change standard BNC (camera) video signal to VGA (computer monitor) signal. VESA Mount included. With high resolution, BNC pass-through output, stores settings in case of power loss, and smaller size. Includes 5VDC power supply.	\$73.00	\$112.40	1	20
VC-3YAQ	4-in-1 HD to HDMI Converter, converts HD-TVI, CVI, AHD and CVBS video to HDMI, VGA, or composite outputs, built-in OSD to display input/output settings, local loop output, picture-in-picture display	\$94.00	\$144.70	1	20

SECO-LARM

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs./ Carton
VG-1C12YQ	4-in-1 Ground Loop Isolator, Compatible with TVI, CVI, AHD, and Analog signals, reduces ground loop interference, built-in surge protection, BNC terminals, passive operation	\$9.20	\$14.20	1	40
VS-1V12YQ	HD 4-in-1 Surge Protector, helps prevent damage to sensitive HD-TVI, HD-CVI, HD-AHD, and Analog CCTV cameras, DVRs, and switches, intercepts repeated surges and spikes that could damage CCTV equipment	\$15.00	\$23.10	1	100
X-930-096	Replacement 3-volt lithium battery (CR2032) for handheld transmitters.	\$0.75	\$1.20	1	N/A
X-HKP06-06005	Power supply for RA-4961-K1Q. 6VDC, 500mA, 2.1mm plug, center positive.	\$4.95	\$7.70	1	N/A