

| ELK Products, Inc. 2021 DISTRIBUTOR Price List | | | | | | | | | |
|--|---|--------|--------------|------------|------------------------------|--------------------------|---------------|---------------|---------------|
| Effective | All Products | | | | | ALL PRICING IN US DOLLAR | | | |
| 1-Mar-2021 | | | | | | | | | |
| Part# | Description | Dist | Instalr List | Dealer MAP | Minimum Internet Price (MIP) | Case Qty. | Case Wgt. Lbs | Unit Wgt. Lbs | UPC Code |
| M1GCB | M1G (Gold) Board Only (hwdr pk & Manuals incl.) NO TERM. BLOCKS | 275.50 | 353.21 | 353.21 | 504.58 | 5 | 10.0 | 2 | 762158 560019 |
| M1GOLD | M1G (Gold) Board in 14" Can w/Lock and hardware - (Base Unit) | 301.45 | 386.48 | 386.48 | 552.11 | 2 | 28.0 | 14 | 762158 560002 |
| M1GK | M1GK | 403.42 | 517.20 | 517.20 | 738.86 | 2 | 22.0 | 11 | 762158 550393 |
| M1GKS | M1G (Gold) Kit (Sys4) in Cardboard only (NO CAN) with M1KP2 | 384.13 | 492.48 | 492.48 | 703.54 | 2 | 22.0 | 11 | 762158 550560 |
| M1GSYS3 | M1G (Gold) Kit -NO KEYPAD - 14" Can w/Xfmr,8Ah Batt,73 Spkr,RJSET | 324.57 | 416.12 | 416.12 | 594.45 | 2 | 46.0 | 23 | 762158 560118 |
| M1GSYS4 | M1G (Gold) Kit in 14" Can w/Xfmr,LCD KP,8Ah Batt,73 Spkr,RJSET | 424.96 | 544.82 | 544.82 | 778.31 | 2 | 46.0 | 23 | 762158 560125 |
| M1GSYS4S | M1G (Gold) Kit in 14" Can w/Xfmr,LCD KP2,8Ah Batt,73 Spkr,RJSET | 405.30 | 519.61 | 519.61 | 742.30 | 2 | 46.0 | 23 | 762158 560576 |
| M1GSYS4STW | M1GSYS4S Kit w/Wireless Receiver and ELK-6010 Keychain Remote | 448.45 | 574.94 | 574.94 | 821.34 | 2 | 46.0 | 23 | 762158 160264 |
| - | - | - | - | - | - | - | - | - | - |
| M1EZ8CB | EZ8 Board Only (hwdr pk & Manuals included) | 185.40 | 237.70 | 237.70 | 339.57 | 5 | 10.0 | 2 | 762158 550416 |
| M1EZ8KB | EZ8 Kit-Board in 12" Can w/Xfmr,LCD KP,5Ah Bat,SP35 Spkr,RJSET | 330.85 | 424.17 | 424.17 | 605.95 | 2 | 40.0 | 20 | 762158 550423 |
| M1EZ8KBS | EZ8 Kit-Board in 12" Can w/Xfmr,LCD KP2,5Ah Bat,SP35 Spkr,RJSET | 309.28 | 396.51 | 396.51 | 566.44 | 2 | 40.0 | 20 | 762158 550591 |
| M1EZ8MSI | Main Serial Interface Port for EZ8 | 25.49 | 32.68 | 32.68 | 46.69 | 10 | 10.0 | 1 | 762158 550348 |
| - | - | - | - | - | - | - | - | - | - |
| M1KP | LCD Keypad, GREEN LCD, 32 Char. Alphanumeric, 6.875" W x 5.25" H | 103.30 | 132.43 | 132.43 | 189.19 | 1 | 1.0 | 1.0 | 762158 550034 |
| M1KPB | LCD Keypad, BLUE LCD, 32 Char. Alphanumeric, 6.875" W x 5.25" H | 103.18 | 132.29 | 132.29 | 188.98 | 1 | 1.0 | 1 | 762158 550041 |
| M1KPNAV | Touchscreen Keypad, Navigator, 3.5" diag. | 141.21 | 181.03 | 181.03 | 258.62 | 1 | 0.3 | 0.3 | 762158 550775 |
| M1BBKN | Back Box for M1KPNAV on non-hollow walls using surface raceway | 5.56 | 7.12 | 7.12 | 10.18 | 1 | 0.5 | 0.5 | 762158 550782 |
| M1BZBKN | Bezel, Black - Color Change Bezel for M1KPNAV, Pack of 2 | 9.55 | 12.25 | 12.25 | 17.50 | 1 | 0.5 | 0.5 | 762158 550799 |
| M1BZSKN | Bezel, Silver - Color Change Bezel for M1KPNAV, Pack of 2 | 9.55 | 12.25 | 12.25 | 17.50 | 1 | 0.5 | 0.5 | 762158 550805 |
| M1KP2 | LCD Keypad, 32 Char. Alpha, flush mount option, 4.658" W x 5.5" H | 83.67 | 107.26 | 107.26 | 153.23 | 1 | 1.0 | 1 | 762158 550478 |
| M1BBK2 | Back box for flush mounting M1KP2 | 4.85 | 6.22 | 6.22 | 8.88 | 1 | 0.3 | 0.3 | 762158 550485 |
| M1KCWB | Conduit Wall Box, Surface Mount for M1KP & KP2 | 17.32 | 22.21 | 22.21 | 31.72 | 1 | 3.0 | 3.0 | 762158 550720 |
| M1KP3 | LCD Keypad 32 Char. with Door | 91.16 | 116.88 | 116.88 | 166.97 | 1 | 1.0 | 1.0 | 762158 550614 |
| M1KPAS | LED Arming Station | 56.30 | 72.18 | 72.18 | 103.11 | 1 | 3.0 | 0.3 | 762158 550546 |
| - | - | - | - | - | - | - | - | - | - |
| M1BLOCKS | Terminal Blocks required with M1CB & M1GCB | 15.21 | 19.49 | 19.49 | 27.85 | 10 | 10.0 | 1 | 762158 550287 |
| M1DBH | Data bus hub (for proper termination of multiple bus devices) | 25.78 | 33.05 | 33.05 | 47.22 | 10 | 10.0 | 1.0 | 762158 550027 |
| M1DBHR | Data bus hub Retrofit (for existing 4 cond. wiring) | 45.20 | 57.95 | 57.95 | 82.78 | 10 | 10.0 | 1.0 | 762158 550379 |
| M1KAM | Single Door Access Module | 77.36 | 99.18 | 99.18 | 141.68 | 1 | 1.0 | 1.0 | 762158 550522 |
| M1PCSPIM | UPB Interface PIM for direct connect to M1 Serial Data Bus | 102.03 | 130.81 | 130.81 | 186.87 | 1 | 10.0 | 1 | 762158 550737 |
| M1PR | Mini prox reader internal for keypad | 45.26 | 58.03 | 58.03 | 82.89 | 10 | 10.0 | 1 | 762158 550058 |
| M1PRC | Pack of 10 Proximity Cards for ELK-M1PR Reader | 23.44 | 30.06 | 30.06 | 42.94 | 10 | 2.0 | 0.2 | 762158 550065 |
| M1PRF | Pack of 10 Proximity Fobs for ELK-M1PR Reader | 39.65 | 50.84 | 50.84 | 72.63 | 10 | 2.0 | 0.2 | 762158 550072 |
| 106055 | Ultra Prox Weigand Reader | 47.59 | 61.01 | 61.01 | 87.16 | 10 | 2.0 | 0.2 | 762158 550447 |
| M1RB | Relay Board, 8 form C, connects to M1, M1XOVR, or M1XOV | 44.07 | 56.50 | 56.50 | 80.71 | 10 | 10.0 | 1 | 762158 550089 |
| M1TWA | NEW! 2 Way Amplifier Bd, 3 Spkr & 3 Mic zones | 59.96 | 76.88 | 76.88 | 109.82 | 10 | 10.0 | 1 | 762158 550652 |
| M1TWI | 2 Way Listen-in Interface | 29.77 | 38.17 | 38.17 | 54.53 | 10 | 10.0 | 1 | 762158 550218 |
| M1TWM | 2 Way Listen-in Microphone only | 12.92 | 16.56 | 16.56 | 23.66 | 10 | 10.0 | 1 | 762158 550232 |
| M1TWS | 2 Way Listen-in Speaker/Microphone only | 16.37 | 20.99 | 20.99 | 29.98 | 10 | 10.0 | 1.0 | 762158 550225 |
| M1TWSF | 2 Way "Flush Mount" Listen-in Speaker/Microphone only | 12.24 | 15.69 | 15.69 | 22.41 | 10 | 10.0 | 1.0 | 762158 550744 |
| M1VO | Voltage Out Board - Converts 12 Pin (J16) to Screw Terminals | 16.69 | 21.40 | 21.40 | 30.58 | 10 | 1.0 | 0.1 | 762158 550874 |
| 101296 | M1 Automation Bridge from Ness | 148.58 | 190.48 | 190.48 | 272.12 | 1 | 1.0 | 0.1 | 762158 550997 |
| M1XEP | Ethernet Port Interface | 138.10 | 177.05 | 177.05 | 252.92 | 10 | 10.0 | 1 | 762158 550164 |
| M1XIN | 16 Zone Input Expander | 58.73 | 75.29 | 75.29 | 107.56 | 10 | 10.0 | 1 | 762158 550171 |
| M1XOVR | 16 Output Expander, 8 voltage (flying leads) + 8 relays | 85.03 | 109.01 | 109.01 | 155.73 | 10 | 10.0 | 1 | 762158 550195 |
| M1XRF319 | Wireless Receiver & Input Expander, 319.5MHz | 79.43 | 101.84 | 101.84 | 145.48 | 1 | 1.0 | 0.5 | 762158 550959 |
| M1XRFTWM | Wireless Transceiver, Two-Way Multiple Receiver optimized | 79.28 | 101.64 | 101.64 | 145.20 | 1 | 1.0 | 0.5 | 762158 160011 |
| M1XRFTWKIT | Wireless Promo Kit: 2 Fobs, 2 Dr/Wnd, 1 PIR (pet) & FREE M1XRFTWM | 207.66 | 266.23 | 266.23 | 380.33 | 1 | 1.0 | 0.5 | 762158 160271 |
| M1XRF2H | Wireless Receiver, 2 Antenna, Honeywell (Ademco) Xmtrs | 79.50 | 101.92 | 101.92 | 145.60 | 1 | 1.0 | 0.5 | 762158 550676 |
| M1XSLC | M1 serial to Lutron Caseta Wireless Interface | 198.49 | 254.47 | 254.47 | 363.53 | 1 | 1.0 | 1.0 | 762158 550881 |
| M1XSLU | M1 Serial to Lutron RadioRA 2 Interface | 166.69 | 213.71 | 213.71 | 305.30 | 1 | 1.0 | 1.0 | 762158 550850 |
| M1XSLZW | M1 Serial to Leviton VRCOP Z-Wave Interface | 83.33 | 106.83 | 106.83 | 152.61 | 1 | 1.0 | 1.0 | 762158 550867 |
| M1XSP | Serial Port Expander & Thermostat/Lighting Interface | 62.31 | 79.88 | 79.88 | 114.12 | 10 | 10.0 | 1 | 762158 550201 |

| ELK Products, Inc. 2021 DISTRIBUTOR Price List | | | | | | | | | |
|--|--|--------|--------------------------|------------|------------------------------|-----------|---------------|---------------|---------------|
| Effective | All Products | | ALL PRICING IN US DOLLAR | | | | | | |
| 1-Mar-2021 | | | | | | | | | |
| Part# | Description | Dist | Instalr List | Dealer MAP | Minimum Internet Price (MIP) | Case Qty. | Case Wgt. Lbs | Unit Wgt. Lbs | UPC Code |
| M1ZTS | Zone Temperature Interface & Sensor -50 to 140 degrees F | 44.42 | 56.95 | 56.95 | 81.36 | 10 | 10.0 | 1 | 762158 550317 |
| M1ZTSR | Zone Temperature Interface & 7' probe, -50 to 140 degrees F | 62.68 | 80.36 | 80.36 | 114.80 | 10 | 10.0 | 1 | 762158 550324 |
| C1M1LTEA | ElkCommBd LTE Communicator, Dual Path, AT&T, works with M1 | 239.75 | 307.37 | 307.37 | 439.10 | 1 | 10.0 | 1.0 | 762158 550966 |
| C1M1LTEV | ElkCommBd LTE Communicator, Dual Path, Verizon, works with M1 | 230.19 | 295.11 | 295.11 | 421.59 | 1 | 10.0 | 1.0 | 762158 550942 |
| - | - | - | - | - | - | - | - | - | - |
| 319DWM | Wireless Mini Door/Window Mini Sensor 319.5MHz | 13.13 | 16.83 | 16.83 | 24.05 | 1 | 0.0 | 0.0 | 762158 190001 |
| 319DR | Wireless Door Recessed Sensor 319.5MHz | 22.50 | 28.85 | 28.85 | 41.21 | 1 | 0.0 | 0.0 | 762158 190025 |
| 319WS | Wireless Window & Shock Sensor 319.5MHz | 19.03 | 24.40 | 24.40 | 34.85 | 1 | 0.0 | 0.0 | 762158 190032 |
| 319DG | Wireless Outdoor Door and Gate Sensor 319.5MHz | 26.25 | 33.65 | 33.65 | 48.08 | 1 | 0.0 | 0.0 | 762158 190018 |
| 319KF4 | Wireless Keyfob, 4 Button 319.5MHz | 17.75 | 22.76 | 22.76 | 32.51 | 1 | 0.0 | 0.0 | 762158 190049 |
| 319KF1 | Wireless Keyfob, 1 Button 319.5MHz | 37.75 | 48.40 | 48.40 | 69.14 | 1 | 0.0 | 0.0 | 762158 190056 |
| 319PB1 | Wireless Panic 1 Button, Belt,Pendant,Wall 319.5MHz | 42.06 | 53.92 | 53.92 | 77.03 | 1 | 0.0 | 0.0 | 762158 190063 |
| 319PIRC | Wireless PIR, Ceiling Mount 319.5MHz | 35.72 | 45.80 | 45.80 | 65.43 | 1 | 0.0 | 0.0 | 762158 190087 |
| - | - | - | - | - | - | - | - | - | - |
| 319HRR | Wireless Heat Rate of Rise Sensor 319.5MHz | 37.75 | 48.40 | 48.40 | 69.14 | 1 | 0.0 | 0.0 | 762158 190117 |
| - | - | - | - | - | - | - | - | - | - |
| 6010 | Wireless Keychain Remote, Two-Way for M1XRFTW Transceiver | 30.69 | 39.35 | 39.35 | 56.21 | 1 | 1.0 | .5 | 762158 160103 |
| 6011 | Wireless Single Button Remote, Two-Way for M1XRFTW Transceiver | 30.14 | 38.64 | 38.64 | 55.20 | 1 | 1.0 | .5 | 762158 160288 |
| 6020 | Wireless Slim-line Dr/Wnd Sensor, White,Two-Way for M1XRFTW Transceiver | 30.01 | 38.47 | 38.47 | 54.96 | 1 | 1.0 | .5 | 762158 160202 |
| 6020BR | Wireless Slim-line Dr/Wnd Sensor, Brown, Two-Way for M1XRFTW Transceiver | 30.01 | 38.47 | 38.47 | 54.96 | 1 | 1.0 | .5 | 762158 160394 |
| 6021 | Wireless Mini Window Sensor, Two-Way for M1XRFTW Transceiver | 27.86 | 35.72 | 35.72 | 51.03 | 1 | 1.0 | .5 | 762158 160219 |
| 6021BR | Wireless Mini Window Sensor, Brown, Two-Way for M1XRFTW Transceiver | 27.86 | 35.72 | 35.72 | 51.03 | 1 | 1.0 | .5 | 762158 160431 |
| 6022 | Wireless Universal 3-Zone Dr/Wnd Sensor, Two-Way for M1XRFTW Transceiver | 41.42 | 53.10 | 53.10 | 75.86 | 1 | 1.0 | .5 | 762158 160226 |
| 6023 | Wireless Recessed Door Sensor, White - Two-Way for M1XRFTW | 30.89 | 39.60 | 39.60 | 56.58 | 1 | 1.0 | .5 | 762158 160318 |
| 6023BR | Wireless Recessed Door Sensor, Brown - Two-Way for M1XRFTW | 30.91 | 39.63 | 39.63 | 56.61 | 1 | 1.0 | .5 | 762158 160387 |
| 6030 | Wireless PIR Motion Sensor with Security/Convenience Light | 62.50 | 80.13 | 80.13 | 114.47 | 1 | 1.0 | .5 | 762158 160233 |
| 603022 | Deluxe Swivel Mnt. Bracket for ELK-6030 PIRs | 4.73 | 6.06 | 6.06 | 8.66 | 1 | 1.0 | .5 | 762158 160240 |
| 6030P | Wireless PET Immune (40 lbs) Motion Sensor w Sec/Conv Light | 67.22 | 86.18 | 86.18 | 123.11 | 1 | 1.0 | .5 | 762158 160257 |
| 6032 | Wireless Outdoor PIR Sensor | 190.81 | 244.63 | 244.63 | 349.47 | 1 | 2.0 | 2.0 | 762158 160443 |
| 6040 | Wireless Glass Break Detector, Two-Way for M1XRFTW | 65.19 | 83.58 | 83.58 | 119.40 | 1 | 1.0 | .5 | 762158 160301 |
| 6050 | Wireless Smoke [Out of Production] * Replaced by 6052 * | 75.19 | 96.40 | 96.40 | 137.71 | 1 | 1.0 | .5 | 762158 160295 |
| 6051 | Wireless Carbon Monoxide Detector | 78.17 | 100.22 | 100.22 | 143.17 | 0 | 0.0 | 0.0 | 762158 160455 |
| 6052 | Wireless Smoke Detector, Two-Way, with Sounder & RR Heat | 71.55 | 91.73 | 91.73 | 131.04 | 0 | 0.0 | 0.0 | 762158 160462 |
| 6053 | Wireless Heat Detector | 65.06 | 83.41 | 83.41 | 119.15 | 0 | 0.0 | 0.0 | 762158 160479 |
| SM20 | Replacement Magnet, White, (10 Pack) for 6020 & 6022 Sensors | 19.65 | 25.19 | 25.19 | 35.99 | 1 | 1.0 | .5 | 762158 160356 |
| SM20BR | Replacement Magnet, Brown, (10 Pack) for 6020 & 6022 Sensors | 19.65 | 25.19 | 25.19 | 35.99 | 1 | 1.0 | .5 | 762158 160400 |
| SM21 | Replacement Magnet, White, (10 Pack) for 6021 | 14.30 | 18.34 | 18.34 | 26.20 | 1 | 1.0 | .5 | 762158 160363 |
| SM21BR | Replacement Magnet, Brown, (10 Pack) for 6021 | 14.32 | 18.36 | 18.36 | 26.23 | 1 | 1.0 | .5 | 762158 160417 |
| SM23 | Replacement Magnet, White, (10 Pack) for 6023 | 22.23 | 28.50 | 28.50 | 40.71 | 1 | 1.0 | .5 | 762158 160370 |
| SM23BR | Replacement Magnet, Brown, (10 Pack) for 6023 | 22.27 | 28.56 | 28.56 | 40.80 | 1 | 1.0 | .5 | 762158 160424 |
| - | - | - | - | - | - | - | - | - | - |
| IP232 | Ethernet to RS232 Serial Bridge | 102.38 | 131.25 | 131.25 | 187.50 | 1 | 1.0 | .7 | 762158 550645 |
| UB12 | Utility Box 12" x 12" x 3.5" for EZ8, Power Supplies, etc | 25.18 | 32.28 | 32.28 | 46.12 | 4 | 26.0 | 6.5 | 762158 550430 |
| USB232 | Serial cable to convert USB to RS232 | 23.12 | 29.65 | 29.65 | 42.35 | 1 | 10.0 | 1 | 762158 550270 |
| USBCM | USB Cable, Type A to Type B "Mini" | 8.71 | 11.17 | 11.17 | 15.95 | 10 | 10.0 | 1.0 | 762158 550911 |
| W119 | Dual Battery Hookup Wires for Elk Controls, 2 pair, 24", Fused @ 5A | 8.63 | 11.06 | 11.06 | 15.80 | 1 | .5 | .5 | 762158 551192 |
| WA003 | Remote Cell Antenna, RG58U x 6M, with magetic base | 8.69 | 11.15 | 11.15 | 15.92 | 1 | 1.0 | 1.0 | 762158 550928 |
| WA005 | Cell Ant Extender Cable, RG58U x 7m, SMA Male to SMA Female | 10.30 | 13.20 | 13.20 | 18.86 | 10 | 2.0 | 0.2 | 762158 550935 |
| W018B | Cable Assembly, 4 wire plug-in ribbon | 2.34 | 3.00 | 3.00 | 4.29 | 10 | 2.0 | 0.2 | 762158 550669 |
| W035A | Cable to connect external prox to M1KP & NX wireless to M1 | 2.19 | 2.81 | 2.81 | 4.01 | 10 | 2.0 | 0.2 | 762158 550294 |
| W039A | Cable to connect external prox to M1KP2 | 2.19 | 2.81 | 2.81 | 4.01 | 10 | 2.0 | 0.2 | 762158 550515 |
| W040A | Cable assembly DB9 PIN SERIAL RIBBON | 5.24 | 6.72 | 6.72 | 9.60 | 10 | 2.0 | 0.2 | 762158 550607 |
| W047A | Replacement Cable and hardware pack for M1KPNAV | 5.52 | 7.08 | 7.08 | 10.11 | 10 | 2.0 | 0.2 | 762158 550812 |
| W056A | DC Power Cord w/2.1mm Barrel Connector - 60" | 1.94 | 2.48 | 2.48 | 3.55 | 10 | 5.0 | .5 | 762158 550836 |

| ELK Products, Inc. 2021 DISTRIBUTOR Price List | | | | | | | | | |
|--|--|--------|--------------------------|------------|------------------------------|-----------|---------------|---------------|---------------|
| Effective | All Products | | ALL PRICING IN US DOLLAR | | | | | | |
| 1-Mar-2021 | | | | | | | | | |
| Part# | Description | Dist | Instalr List | Dealer MAP | Minimum Internet Price (MIP) | Case Qty. | Case Wgt. Lbs | Unit Wgt. Lbs | UPC Code |
| ELR22 | Resistors, End Of Line, 2.2K Ohm, Pack of 100 | 6.33 | 8.12 | 8.12 | 11.60 | 10 | 5.0 | .5 | 7621580800221 |
| - | - | - | - | - | - | - | - | - | - |
| SWB14 | Structured Wiring Box; 14.25" square x 3.5" w/door & camlock | 27.53 | 35.29 | 35.29 | 50.42 | 4 | 42.0 | 10.5 | 762158 800146 |
| SWFD14 | Flush mount door for SWB14 | 20.78 | 26.64 | 26.64 | 38.06 | 1 | 5.0 | 5 | 762158 800160 |
| SWB28 | Structured Wiring Box 28" x 14.25" x 4.5" w/door & camlock | 67.81 | 86.93 | 86.93 | 124.19 | 2 | 42.0 | 21 | 762158 800153 |
| SWFD28 | Replacement Door for SWB28, complete with camlock | 29.21 | 37.44 | 37.44 | 53.49 | 1 | 9.0 | 9.0 | 762158 800184 |
| SWD1 | Structured Wiring Donut Grommets, for 1.25" wire entry (2pk) | 2.38 | 3.05 | 3.05 | 4.36 | 10 | 10.0 | 1 | 762158 800122 |
| SWG | Structured Wiring Circuit Board Glides (2pk) | 2.38 | 3.05 | 3.05 | 4.36 | 10 | 5.0 | .5 | 762158 800061 |
| SWNS1 | Structured Wiring; Stand-offs for Circuit boards (10pk) | 3.77 | 4.83 | 4.83 | 6.90 | 10 | 10.0 | 1 | 762158 800115 |
| SWNSL | Structured Wiring; Snap Lock rivets/plungers (10pk) | 6.12 | 7.84 | 7.84 | 11.20 | 10 | 10.0 | 1 | 762158 800139 |
| SWP | DISCONTINUED - Replaced by SWP4 Structured Wiring Multipurpose Adapter Plate | 5.92 | 7.59 | 7.59 | 10.85 | 10 | 5.0 | .5 | 762158 800078 |
| SWP3 | Multipurpose Adapter Plate, 3" w/plastic standoffs | 6.62 | 8.49 | 8.49 | 12.12 | 10 | 10.0 | 1 | 762158 810077 |
| SWP4 | Multipurpose Adapter Plate, 4" w/plastic standoffs | 6.88 | 8.82 | 8.82 | 12.60 | 10 | 10.0 | 1 | 762158 800085 |
| SWR | SW Universal Mounting Rail - not req'd in SWB/SWB14 (2pk) | 5.37 | 6.88 | 6.88 | 9.83 | 10 | 5.0 | .5 | 762158 810084 |
| SWS | Structured Wiring Battery Shelf | 9.48 | 12.16 | 12.16 | 17.37 | 10 | 10.0 | 1 | 762158 800092 |
| TB14 | Tamper Resistant Metal Enclosure for M1 Control, 14" x 14" | 35.54 | 45.56 | 45.56 | 65.09 | 1 | 14.0 | 14.0 | 762158 800191 |
| CPL | Cover Plate-Large, White, 7.3" x 6" x 0.125", 5pcs/box | 19.30 | 24.74 | 24.74 | 35.35 | 1 | 2.0 | 2.0 | 762158551000 |
| - | - | - | - | - | - | - | - | - | - |
| 44 | Speaker; 30W/50W | 10.98 | 14.07 | 14.07 | 20.10 | 10 | 27.0 | 2.3 | 762158 000447 |
| 45 | Siren; Self-Contained, Heavy Duty | 18.64 | 23.89 | 23.89 | 34.13 | 10 | 27.0 | 2.4 | 762158 000454 |
| 70 | Speaker; Interior 20 Watt (Echo™) | 8.37 | 10.73 | 10.73 | 15.33 | 20 | 22.0 | 1.0 | 762158 000706 |
| 71 | Siren; Interior Self-Contained (Echo™) | 11.34 | 14.54 | 14.54 | 20.77 | 20 | 22.0 | 1.1 | 762158 000713 |
| 73 | Speaker; Compact Interior 20 Watt (Echo™) | 6.73 | 8.63 | 8.63 | 12.33 | 10 | 11.0 | 1.0 | 762158 000737 |
| 74 | Siren; Compact Interior Self-Contained (Echo™) | 9.15 | 11.73 | 11.73 | 16.75 | 10 | 11.0 | 1.1 | 762158 000744 |
| 100 | Siren Driver; High Performance | 13.61 | 17.45 | 17.45 | 24.93 | 10 | 4.0 | 0.3 | 762158 001000 |
| 101 | Siren Driver, Two-Channel, Single Transistor | 6.84 | 8.77 | 8.77 | 12.53 | 10 | 4.0 | 0.3 | 762158 001017 |
| 110 | Voice/Siren Driver w/Temporal Coded Bell | 25.51 | 32.70 | 32.70 | 46.71 | 10 | 4.0 | 0.3 | 762158 001109 |
| 120 | Recordable Annunciator; 8 minutes, 4 channels, 3 sounds | 63.43 | 81.33 | 81.33 | 116.18 | 10 | 5.0 | 0.4 | 762158 001208 |
| 124 | Recordable Annunciator w/enclosure; 8 minutes, 8 Channels | 91.65 | 117.49 | 117.49 | 167.85 | 10 | 5.0 | 0.4 | 762158 001246 |
| 129 | Computer Interface for Recordables | 38.27 | 49.07 | 49.07 | 70.09 | 1 | 1.0 | 0.6 | 762158 001291 |
| 150RT | Siren; Heavy Duty, Stainless Housing | 36.75 | 47.12 | 47.12 | 67.31 | 10 | 46.0 | 4.6 | 762158 001505 |
| 1RT | Speaker; 30W/50W, Stainless Housing | 31.01 | 39.76 | 39.76 | 56.80 | 10 | 46.0 | 4.6 | 762158 000010 |
| 800 | Audio Amplifier, 10 Watt | 30.78 | 39.46 | 39.46 | 56.38 | 10 | 4.0 | 0.4 | 762158 008009 |
| 9002 | B Connectors (Plain); Yellow, 500 pcs. | 16.44 | 21.08 | 21.08 | 30.11 | 10 | 13.0 | 1.3 | 762158 090028 |
| 9022 | B Connectors (Gel); WHITE, 500 pcs. | 19.11 | 24.51 | 24.51 | 35.01 | 10 | 13.0 | 1.3 | 762158 090226 |
| 912 | Relay; SPDT, 12V | 4.72 | 6.05 | 6.05 | 8.64 | 10 | 2.0 | 0.2 | 762158 009129 |
| 91212 | Relay; SPDT, 12V, (12 pack) | 42.15 | 54.03 | 54.03 | 77.19 | 10 | 7.0 | 0.7 | 762158 912122 |
| 912B | Relay; SPDT, 12/24V, Big terminals | 5.72 | 7.33 | 7.33 | 10.48 | 10 | 2.0 | 0.2 | 762158 109126 |
| 912B6 | Relay; SPDT, 12/24V, Big terminals, (6 pack) | 25.25 | 32.37 | 32.37 | 46.24 | 10 | 4.0 | 0.4 | 762158 609121 |
| 9200 | HD Automation Relay, DPDT, 30A contacts, 110VAC input | 54.38 | 69.72 | 69.72 | 99.60 | 5 | 39.0 | 7.8 | 762158 092008 |
| 924 | Relay; Sensitive 1mA trigger, DPDT, 12/24V | 7.47 | 9.58 | 9.58 | 13.68 | 10 | 2.0 | 0.2 | 762158 009242 |
| 9244 | Relay; Sensitive 1 mA trigger, DPDT, 12/24V, (4 pack) | 26.86 | 34.43 | 34.43 | 49.19 | 10 | 5.0 | 0.5 | 762158 092442 |
| 930 | Doorbell & Telephone Ring Detector | 35.50 | 45.51 | 45.51 | 65.01 | 10 | 10.0 | 1.0 | 762158 009303 |
| 941 | Alarm Output Director; Separates single output to 2 | 19.82 | 25.42 | 25.42 | 36.31 | 10 | 3.0 | 0.3 | 762158 009419 |
| 950 | Surge Suppressor; Telephone & AC | 16.36 | 20.97 | 20.97 | 29.96 | 10 | 4.0 | 0.4 | 762158 009501 |
| 951 | Surge Suppressor; Single Telephone | 16.18 | 20.74 | 20.74 | 29.63 | 10 | 5.0 | 0.4 | 762158 009518 |
| 952 | In-Line Telco Surge Suppressor for Security Controls | 12.59 | 16.14 | 16.14 | 23.05 | 10 | 4.0 | 0.4 | 762158 009525 |
| 955 | Surge Suppressor; Dual Telephone | 23.21 | 29.75 | 29.75 | 42.51 | 10 | 5.0 | 0.5 | 762158 009556 |
| 960 | Delay Timer Relay, 12/24V, 1 Sec. - 60 Min. | 15.67 | 20.09 | 20.09 | 28.70 | 10 | 2.0 | 0.2 | 762158 009600 |
| 964B20 | Master Power Switch (20 pack) | 185.55 | 237.89 | 237.89 | 339.84 | 20 | 3.0 | 0.3 | 762158 009648 |
| 965 | Low Battery Cutoff & Mst Power Switch | 11.70 | 15.00 | 15.00 | 21.43 | 10 | 2.0 | 0.2 | 762158 009655 |
| 965B20 | Low Battery Cutoff & Mst Power Switch (20 pack) | 198.69 | 254.73 | 254.73 | 363.89 | 20 | 40.0 | 0.2 | 762158 109652 |
| 998 | Alarm Decals; Qty. 100 | 30.50 | 39.10 | 39.10 | 55.85 | 10 | 5.0 | 0.5 | 762158 009983 |
| 99805 | Alarm Decals; Qty. 5 | 5.76 | 7.39 | 7.39 | 10.55 | 10 | 1.0 | .05 | 762158 209987 |

| Effective | ELK Products, Inc. 2021 DISTRIBUTOR Price List | | | | | | | | |
|------------|---|--------|--------------|------------|------------------------------|-----------|---------------|---------------|---------------|
| 1-Mar-2021 | All Products | | | | ALL PRICING IN US DOLLAR | | | | |
| Part# | Description | Dist | Instalr List | Dealer MAP | Minimum Internet Price (MIP) | Case Qty. | Case Wgt. Lbs | Unit Wgt. Lbs | UPC Code |
| 999 | Double Side Foam Tape; .25" thick 130 pieces | 5.97 | 7.65 | 7.65 | 10.93 | 10 | 3.0 | 0.2 | 762158 009990 |
| 999A | Double Side Foam Tape; Assorted Thicknesses 156 pcs | 6.48 | 8.31 | 8.31 | 11.87 | 10 | 3.0 | 0.2 | 762158 010002 |
| BLT | Battery Life Tester; 12Volt | 110.00 | 141.02 | 141.02 | 201.46 | 1 | 2.0 | 2.0 | 762158 800023 |
| BLTLABELS | Pk of 100 Self-adhesive test data labels for BLT | 9.92 | 12.72 | 12.72 | 18.17 | 1 | 1.0 | 1 | 762158 800108 |
| - | - | - | - | - | - | - | - | - | - |
| MB485 | RS485 to RS232 Converter (Required for MM programming) | 34.03 | 43.63 | 43.63 | 62.33 | 1 | 1.0 | 0.4 | 762158 504853 |
| MM220 | Controller; 2 Input, 2 Output, Programmable | 29.69 | 38.06 | 38.06 | 54.38 | 10 | 4.0 | 0.4 | 762158 502200 |
| P112 | PwrSupply Bd in Can; 1A@12VDC w/TRG1640 transformer | 46.26 | 59.31 | 59.31 | 84.73 | 1 | 10.0 | 10 | 762158 001123 |
| P112K | P112 packed with a 12V, 5Ah Battery | 55.90 | 71.67 | 71.67 | 102.38 | 1 | 15.0 | 15 | 762158 101120 |
| P1215 | PwrSupply & Charger Bd Kit 1.5A @12VDC | 32.06 | 41.10 | 41.10 | 58.71 | 84 | 34.0 | 0.4 | 762158 014185 |
| P1215K | PwrSupply & Charger Bd Kit w/ 5Ah Battery | 41.22 | 52.85 | 52.85 | 75.50 | 84 | 34.0 | 0.4 | 762158 014192 |
| P1216 | PwrSupply; 1.5A, 12VDC Wall Plug-in | 16.63 | 21.32 | 21.32 | 30.46 | 84 | 34.0 | 0.4 | 762158 012167 |
| P124 | PwrSupply Bd in Can; .8A@24VDC w/TRG2440 transformer | 46.07 | 59.06 | 59.06 | 84.38 | 1 | 10.0 | 10 | 762158 101243 |
| P124K | P124 packed with Two 12V, 5 Ah Batteries | 65.84 | 84.41 | 84.41 | 120.59 | 1 | 15.0 | 15 | 762158 201240 |
| P1417 | PwrSupply; 1.7A, 14VDC Wall Plug-in | 16.67 | 21.37 | 21.37 | 30.52 | 84 | 34.0 | 0.4 | 762158 014178 |
| P212S | Supervised PwrSupply Bd; 2A @ 12VDC, for M1 or standalone use | 85.87 | 110.09 | 110.09 | 157.27 | 1 | 2.0 | 2.0 | 762158 102127 |
| P412 | PwrSupply in Can; 4A@12VDC w/Plug-in Power Cord | 115.06 | 147.51 | 147.51 | 210.73 | 1 | 10.0 | 10 | 762158 104121 |
| P624 | PwrSupply Bd; 1.2 Amp max, 6, 12, 24V | 13.06 | 16.74 | 16.74 | 23.92 | 10 | 4.0 | 0.4 | 762158 006241 |
| PB1 | Project Box; 43/8" x 61/2" x 2 | 5.92 | 7.60 | 7.60 | 10.85 | 20 | 8.0 | 0.4 | 762158 110016 |
| PD9 | Power Distribution to 9 Devices (250mA ea) | 24.88 | 31.90 | 31.90 | 45.57 | 20 | 10.0 | 0.5 | 762158 000096 |
| PD9HC | High Current Power Distribution to 9 Devices (400mA ea) | 24.88 | 31.90 | 31.90 | 45.57 | 20 | 10.0 | 0.5 | 762158 300097 |
| - | - | - | - | - | - | - | - | - | - |
| RJSET | RJ Block & Cord | 2.78 | 3.56 | 3.56 | 5.09 | 150 | 30.0 | 0.2 | 762158 800177 |
| SL1A | Strobe Light, Amber | 15.51 | 19.88 | 19.88 | 28.40 | 10 | 5.0 | 0.5 | 762158 910029 |
| SL1B | Strobe Light, Blue | 15.49 | 19.86 | 19.86 | 28.37 | 10 | 5.0 | 0.5 | 762158 910036 |
| SL1C | Strobe Light, Clear | 15.49 | 19.85 | 19.85 | 28.36 | 10 | 5.0 | 0.5 | 762158 910012 |
| SL1R | Strobe Light, Red | 15.60 | 20.00 | 20.00 | 28.57 | 10 | 5.0 | 0.5 | 762158 910043 |
| WK1 | Wall Mount Kit for Strobe Light | 4.58 | 5.87 | 5.87 | 8.39 | 10 | 4.0 | 0.3 | 762158 910050 |
| WSV2 | 1" Water Shutoff Valve w/manual override, 12Vdc Motor | 272.35 | 349.17 | 349.17 | 498.81 | 1 | 7.0 | 6.7 | 762158 550843 |
| - | - | - | - | - | - | - | - | - | - |
| M120 | Siren; Mini-Horn | 5.69 | 7.29 | 7.29 | 10.41 | 40 | 40.0 | 1.0 | 762158 101205 |
| SP12F | Speaker; Flush mount, 12W, 32 Ohm | 4.37 | 5.60 | 5.60 | 8.00 | 60 | 27.0 | .45 | 762158 000126 |
| SP15 | Speaker; 15w Horn | 4.59 | 5.88 | 5.88 | 8.41 | 24 | 30.0 | 1.2 | 762158 000157 |
| SP30 | Speaker; 30w Horn | 8.49 | 10.89 | 10.89 | 15.55 | 12 | 36.0 | 3.0 | 762158 000300 |
| SP35 | Speaker; 20w Indoor Surface Mt, 4" | 4.03 | 5.17 | 5.17 | 7.38 | 40 | 40.0 | 1.0 | 762158 000355 |
| SP40 | Speaker; 40w Horn | 13.36 | 17.13 | 17.13 | 24.47 | 8 | 32.0 | 4.0 | 762158 000409 |
| SS15 | Siren; 15w Horn | 6.13 | 7.86 | 7.86 | 11.23 | 24 | 32.0 | 1.3 | 762158 100154 |
| SS30 | Siren; 30w Horn | 9.72 | 12.46 | 12.46 | 17.80 | 12 | 36.0 | 3.0 | 762158 100307 |
| SS36 | Siren; Indoor Surface Mt., 4" | 6.22 | 7.98 | 7.98 | 11.39 | 40 | 40.0 | 1.0 | 762158 000362 |
| - | - | - | - | - | - | - | - | - | - |
| 0613 | Battery; Lead Acid 6V-1.3Ah | 6.62 | 8.49 | 8.49 | 12.13 | 40 | 29.0 | 1.0 | 762158 006135 |
| 0650 | Battery; Lead Acid 6V-5.0Ah | 5.91 | 7.58 | 7.58 | 10.83 | 20 | 40.0 | 2.0 | 762158 006401 |
| 0675 | Battery; Lead Acid 6V-7.5Ah | 8.67 | 11.12 | 11.12 | 15.88 | 14 | 43.0 | 4.0 | 762158 006708 |
| 06120 | Battery; Lead Acid 6V-12.0Ah | 13.90 | 17.82 | 17.82 | 25.45 | 10 | 50.0 | 5.0 | 762158 061202 |
| 12120 | Battery; Lead Acid 12V-12.0Ah | 22.26 | 28.54 | 28.54 | 40.77 | 4 | 40.0 | 10.0 | 762158 121005 |
| 1213 | Battery; Lead Acid 12V-1.3Ah | 8.23 | 10.56 | 10.56 | 15.08 | 20 | 40.0 | 2.0 | 762158 012129 |
| 12180 | Battery; Lead Acid 12V-18.0Ah | 30.02 | 38.49 | 38.49 | 54.99 | 3 | 42.0 | 14.0 | 762158 121708 |
| 12260 | Battery; Lead Acid 12V-26.0Ah | 50.88 | 65.23 | 65.23 | 93.19 | 1 | 21.0 | 21.0 | 762158 122507 |
| 1233 | Battery; Lead Acid 12V-3.3Ah | 13.28 | 17.03 | 17.03 | 24.33 | 10 | 31.0 | 4.0 | 762158 012334 |
| 1250 | Battery; Lead Acid 12V-5.0Ah | 8.97 | 11.50 | 11.50 | 16.43 | 5 | 19.0 | 4.0 | 762158 012402 |
| 1280 | Battery; Lead Acid 12V-8.0Ah | 12.89 | 16.53 | 16.53 | 23.61 | 4 | 22.0 | 5.5 | 762158 012709 |
| - | - | - | - | - | - | - | - | - | - |
| LB14250 | Lihium Battery, 2-Pack, 3.6V Axial (CR14250) | 7.68 | 9.85 | 9.85 | 14.07 | 1 | 0.5 | 0.5 | 762158 160349 |
| - | - | - | - | - | - | - | - | - | - |

| Effective | ELK Products, Inc. 2021 DISTRIBUTOR Price List | | | | | | | | |
|------------|---|-------|--------------|------------|------------------------------|-----------|---------------|---------------|---------------|
| 1-Mar-2021 | All Products | | | | ALL PRICING IN US DOLLAR | | | | |
| Part# | Description | Dist | Instalr List | Dealer MAP | Minimum Internet Price (MIP) | Case Qty. | Case Wgt. Lbs | Unit Wgt. Lbs | UPC Code |
| TRG1640 | Xfmr; 16.5V,45VA, Level 6 Energy Eff. w/Ground, Lifetime Warranty | 10.06 | 12.90 | 12.90 | 18.42 | 24 | 36.0 | 1.5 | 762158 116407 |
| TRG2440 | Xfmr; 24V,40VA, Level 6 Energy Eff. w/Ground, Lifetime Warranty | 10.06 | 12.90 | 12.90 | 18.42 | 24 | 36.0 | 1.5 | 762158 124402 |
| - | - | - | - | - | - | - | - | - | - |